

SBI 140

Low Cost Weight Indicator



- Resolution- Displayed up to 1:10,000; internal 1:520,000
- Annunciators Zero, Net, Hold, lb/kg
- Construction

 Stainless steel/ABS case, complete with wall bracket and desk mount
- Display- Five 17 mm / 0.625" digits LCD
- Animal Weighing Software

- Protocol- Standard NCI interfaces to most common shipping software including, UPS™ Worldship Online and FedEx[®]. Not legal for trade
- Power– Battery or AC power
- Operator Keys- On/Off/Zero, Tare, Units (lb/kg), Hold/Print
- Dimension–
 164 mm (L) x 81 mm (W) x 29 mm (H)
 6.5" L x 3.2" W x 1.2" H



Features

The SBI 140 indicator is a very low cost, simple to operate weight indicator designed for use in a wide range of applications.

This compact indicator is housed in a stainless steel/ ABS case and is supplied complete with a mounting bracket, making it ideal for wall or bench mounting.

The SBI 140 is compatible with the complete range of Brecknell platform scales and can be connected to any platform with a maximum of four 350 ohm loadcells for use in non-trade applications.

The easy to read five digit 17 mm / 0.625" high LCD ensures accurate readings.

Full Duplex RS-232 output for printer etc. is standard. Scale comes standard with NCI protocol and interfaces to most common shipping software, including UPSTM Worldship Online and FedEx[®].

Keyboard features push buttons for **on/off; tare** (100% subtractive) **kg/lb** switching to give readings in metric or avoirdupois units (both decimal pounds and pounds and ounces) and **hold** to enable the weight to be displayed even when the item is removed from the platform.

Auto zero tracking is standard. To extend battery life, the SBI 140 has an auto-off feature with the indicator switching itself off after 2 minutes of inactivity.

Front panel calibration makes the SBI 140 extremely easy to install and calibrate.



Specifications

Capabilities: Drives up to four loadcells; compatible with all Brecknell platforms and any system with up to four 350 ohm loadcells 4.4 VDC, up to 55 mA

Connection: 200 mm / 7.7" cable fixed to indicator with connector. Additional 5 m / 16.4' pigtail cable with connector that attaches to the indicator connecter.

Dimension: 164 mm (L) x 81 mm (W) x 29 mm (H) 6.5" L x 3.2" W x 1.2" H

Display: 17 mm / 0.625" high LCD

- **RS-232:** Supplied complete with 10' cable (9 pin to 9 pin type connector, bi-directional full duplex)
- Keyboard: On/Off/Zero, Tare, Units (lb/kg), Hold

Calibration- Front panel accessible

Units: lb, kg, lb/oz

Power:

North America: Four AAA batteries, AC power adapter (both included)

816965002887: Optional UK power adapter 816965002870: Optional EU power adapter

Battery Life: Battery life approximately 20 hours continuous

Operating Temperature: 5° C to 35° C / 41° F to 95° F

Packaging Dimension:

9.25" L x 7.25" W x 3" H 235 mm (L) x 184 mm (W) x 76 mm (H)

Shipping Weight: 1.1 kg / 2.4 lb

Options: Table top stand (not included)

Table top stand - height 483 mm / 19": weight 0.91 kg / 2 lb Table top base - 52 mm (L) x 76 mm (W) x 19 mm (H) 6" L x 3" W x 0.75" H Floor stand (not included) Floor stand - height 965 mm / 38"; weight 4.5 kg / 10 lb Floor stand base - 292 mm (L) x 292 mm (W) x 19 mm (H) 13.8" L x 13.8" W x 0.75" H **Certifications:** Full FCC compliance, UL/CUL power

adapter, CE, WEEE directive **Product Code:** 52751-0556

a division of Avery Weigh-Tronix, LLC

Brecknell

1000 Armstrong Dr., Fairmont, MN 56031 Toll free: 800-637-0529, Tel: 507-238-8702 Fax: 507-238-8271 e-mail: sales@brecknellscales.com www.brecknellscales.com



Brecknell

Foundry Lane, Smethwick West Midlands B66 2LP UK Tel: +44 (0) 845 246 6717 Fax: +44 (0) 845 246 6718 Email: sales@brecknellscales.co.uk www.brecknellscales.co.uk



e Avery Weigh-Trank group of companies 2014. All rights reserved. Brecknell is a registered trade mark of the Avery Weigh-Trank group of companies. This publication is issued to provide dulline information only which, unless agreed by an Avery Weigh-Trank group company in writing, to be provided as a representation relating to the products or services concerned. This publication was correct at the time of going to print however, Avery Weigh-Trank group defeatures are interested to a service at any time. 6/12 SBI140_Global_L_500002.indd AWT35-500002B (web 8/14)

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert 866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

www.LegacyGlobal.com

Some brands we carry







Honeywell













