

CODE READER^M 4405

Cost-effectively and quickly convert your iPhone[®] 5 into a mobile bar code reading solution.

Consolidating technologies into one, user-friendly device has perhaps never been more in demand among mobile-driven applications, and the CR4405 sled is leading the way.

Ideal for fast-paced environments such as healthcare and retail, its sleek, ergonomic design features advanced imaging technology for increased productivity and mobile workflow efficiency.

Designed to protect your investment.

The CR4405 iPhone® 5 bar code reading sled is the only one that features replaceable, rechargeable battery cartridges. This makes changing depleted batteries quick and easy, and avoiding workflow interruptions even easier. Its durable, IP54-rated housing withstands harsh environments, and consists of disinfectant ready plastics that stand up to frequent cleaning with rigorous chemicals. The CR4405 delivers superior performance on all 1D, 2D and stacked bar code symbologies, and it includes a software development kit to tailor scanner applications.

For speed, efficiency and versatility, the CR4405 sled for iPhone 5 steps up as the ultimate solution to multiple challenges.



Features & Benefits

exposure to debris

a custom scanner application

Lightweight design combines easy-to reach buttons with an unobstructed view of iPhone screen
Bright, rectangular, blue LED aiming quickly and

easily targets and reads all bar codesMultiple locking clips hold phone in place,

protecting it against damage and minimizing

Single and quad-bay charging station options

Software Development Kit (SDK) assists in creating

o code

Applications

Healthcare, retail, government, event management

Features at a glance



*Screen and keypad are available via iPhone 5.

CODE READER™ 4405 SPECIFICATIONS

Physical Characteristics

CR4405 Dimensions	6.25" L x 2.8" W x 1.25" D (156 mm L x 75 mm W x 30 mm D)
CR4405 Weight (with battery and phone)	12.0 oz (300.0g)
Charging Station Dimensions	4.6" L x 4.5" W x 2.7" H (117 mm L x 114 mm W x 69 mm H)
Charging Station Weight	5.3 oz (150.0g)

User Environment

Operating Temperature	-20° to 55° C / -4° to 131° F		
Storage Temperature	-30° to 65° C / -22° to 150° F		
Humidity	5% to 95% non-condensing		
Decode Capability	10: Codabar, Code 11, Code 32, Code 39, Code 93, Code 128, Interleaved 2 of 5, GS1 DataBar (RSS), Hong Kong 2 of 5, Maxtrix 2 of 5, MSI Plessey, Pharmacode, Plessey, Straight 2 of 5, Telepen, Trioptic, UPC/EAN/JAN		
	Stacked 1D: GS1 Composite (CC-A/CC-B/CC-C), MicroPDF, PDF417		
	2D: Aztec Code, Data Matrix, Micro QR Code, QR Code, Han Xin		
	Proprietary 2D: GoCode® (Additional License Required)		
	Postal Codes: Australian Post, Intelligent Mail, Japan Post, KIX Code, PLANET, POSTNET, UK Royal Mail		
Image Output Options	Formats: JPEG or PGM		
Field Selection	High Density or Wide Field		
Time Stamp	Interval Logging		
Data Editing	JavaScript (Additional License Required) / CodeXML® Rules		

Performance Characteristics

Field of View	High Density Field: 30° horizontal by 20° vertical Wide Field: 50° horizontal by 33.5° vertical	
Focal Point	Approximately 100 mm	
Sensor	CMOS 1.2 Megapixel (1280 x 960) gray scale	
Optical Resolution	High Density Field: 960 x 640 Wide Field: 960 x 640	
Pitch	\pm 60° (from front to back)	
Skew	\pm 60° from plane parallel to symbol (side-to-side)	
Rotational Tolerance	± 180°	
Print Contrast Res.	25% (1D symbologies) or 35% (2D symbologies) absolute dark/light reflectance differential, measured at 650 nm	
Target Beam	Single, blue targeting bar	
Ambient Light Immunity	Sunlight: Up to 9,000ft-candles/96,890 lux	
Shock	Without phone withstands multiple drops of 6' (1.8 Meters) to concrete With phone withstands multiple drops of 4' (1.22 meters) to concrete	
Memory Capacity	128MB Flash ROM, 32MB RAM	
Communication Interfaces	USB, Wireless Interfaces Supported by iPhone 5	
Operational Modes	iPhone App Mode, iPhone Keyboard Mode	
Warranty	1 Year; extended service plan available	

Accessories

- Lithium-Ion Battery
- Single and quad-bay charging stations





Phone: (801) 495-2200 Web: www.codecorp.com

Working Ranges

CR4405 Performance				
Test Code	Min Inches (mm)	Max Inches (mm)		
3 mil Code 39	3.1" (80 mm)	4.0" (102 mm)		
7.5 mil Code 39	1.3" (33 mm)	7.2" (182 mm)		
10.5 mil GS1 DataBar	0.8" (20 mm)	8.7" (220 mm)		
13 mil UPC	1.1" (28 mm)	11.0" (280 mm)		
4.2 mil DM	1.9" (48 mm)	4.3" (110 mm)		
5 mil DM	1.7" (43 mm)	4.5" (115 mm)		
6.3 mil DM	1.3" (33 mm)	5.9" (150 mm)		
10 mil DM	0.8" (20 mm)	7.1" (180 mm)		
20.8 mil DM	1.1" (28 mm)	13.5" (343 mm)		

Note: Working ranges are a combination of both the wide and high density fields. All samples were high quality codes and were read along a physical center line at a 10° angle. Default AGC settings were used. Accuracy= +/- 10%.

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert 866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

www.LegacyGlobal.com

Some brands we carry







Honeywell













