## elo

## 7001LT 70-inch

**Touchscreen Signage** 



۲) Integrated Touch



**Commercial Grade** 



### **3-Year Warranty**

### **Product Overview**

The 7001LT 69.5-inch Interactive Digital Signage display combines an infrared touchscreen with a professional grade, large format display in a slim, integrated package. With a total thickness of 3.7 inches (94mm), the 7001LT is compliant with the ADA requirement of less than 4" protrusion for wall mounted products when used with a compatible wall-mount.

With a 700 nit LED panel, the 7001LT is a bright, high quality display suitable for public environments. The infrared touchscreen enables up to 20 simultaneous touches for multi-user interaction. This touch technology offers a fast and extremely sensitive response similar to the experience on mobile devices and is compatible with Windows<sup>®</sup> 7, Windows 8.1 and Windows 10 operating systems. The touchscreen is 4mm thick with fully tempered glass. The 7001LT smart video sensing technology automatically detects new video sources and automatically switches to them.

Thin (<4" mounted) design is attractive and compliant with ADA and IBC protrusion requirements

Reliable, integrated IDS solution with optional NFC / RFID scanners and webcam kits

Remote management capability for device hardware with support for future cloud applications

### 7001LT 70" Touchscreen Signage

| Specifications                        |   |  |  |  |
|---------------------------------------|---|--|--|--|
| Model                                 | 7001LT  |  |  |  |
| Form Factor                           | Interactive Digital Signage   |  |  |  |
| Bezel Color                           | Black   |  |  |  |
| Active Display Area (W x H)           | 60.6" x 34.1" (1538.9mm x 865.6mm)  |  |  |  |
| Dimensions* (W x D x H)               | 62.9" x 3.7" x 36.4" (1600mm x 94mm x 925 mm)   |  |  |  |
| Display Technology                    | Active matrix TFT LCD with LED backlight, 16.7 million colors, 8 ms response time (tr+tf)   |  |  |  |
| Mounting Options                      | VESA 4-hole mount per MIS-F, 600, 600, 8MM<br>Optional thin, tilting wall mount E248743 available to ensure ADA and IBC compliance  |  |  |  |
| Diagonal Size                         | 69.5" (176.6cm)   |  |  |  |
| Native Resolution                     | 1920x1080 60Hz (Full HD), 16:9 aspect ratio; Other resolutions supported.   |  |  |  |
| Brightness (typical)                  | LCD Panel: 700 nits; with Infrared: 630 nits  |  |  |  |
| Number of Touches                     | up to 20 touches  |  |  |  |
| Viewing Angle (typical)               | Horizontal: ±88°, 176° total; Vertical: ±88°, 176° total  |  |  |  |
| Contrast Ratio (typical)              | 5000:1  |  |  |  |
| Video Inputs                          | Analog VGA on Female DE-15 connector; HDCP-capable HDMI 1.3 on Type A connector; DisplayPort 1.1a connector; Input Video Horizontal Sync frequency range: 53-70KHz; Input Video Vertical Sync (frame rate) frequency range: 47-63Hz   |  |  |  |
| Input Power Connector                 | IEC 60320 C14   |  |  |  |
| Power Consumption (typical)           | Monitor Only :<br>110V at 60Hz, ON: 203.13W, SLEEP: 10.75W, OFF: 1.47W; 230V at 50Hz, ON: 198.01W, SLEEP: 9.77W, OFF: 1.6W  |  |  |  |
| Audio                                 | Internal Speakers: 4 x 5W stereo speakers to allow Stereo configuration in portrait and landscape mode. Input audio connector: 3.5mm TRS jack; Input audio signal range: 1Vrms max stereo signal (standard PC line out); Headphone output connector: 3.5mm TRS jack   |  |  |  |
| Weight                                | Unpackaged, monitor only: 149.5 lb (67.8kg)   |  |  |  |
| Shipping Dimensions (W x D x H)       | 70.6" x 15.2" x 45.2" (1794mm x 386mm x 1149mm)   |  |  |  |
| Temperature                           | Operating: 32°F to 104°F (0°C to 40°C); Storage: -4°F to 122°F (-20°C to 50°C)  |  |  |  |
| Humidity (non-condensing)             | Operating: 20%-80%; Storage: 10%-95%  |  |  |  |
| Regulatory approvals and declarations | JL, FCC; cUL, IC; CB; CE; VCCI; C-Tick; NOM CoC; GOST; BSMI; KC; e-Standby; CCC, China RoHs With RFID: UL, FCC; CE  |  |  |  |
| Accessories                           | ISR (E545781), NFC Adapter (E918074), OPS Kit (E102270), Replacement OSD Controller (E483757)<br>eplacement Cable Kit (E000263), Wall Mount Kit (E248743), Webcam (E688656)   |  |  |  |
| Warranty                              | 3 years standard. On-site exchange (U.S. only) and extended warranty available  |  |  |  |
| MTBF                                  | 50,000 hours demonstrated   |  |  |  |
| What's in the box                     | 7001LT, OSD Remote, QIG, Japanese Class A Kiosk Info, User Manuals and Driver CD, HDMI cable (Type A plug to Type A plug), VGA +<br>RS232 Y-Cable, VGA Cable, USB cable (Type A plug to Type B plug), power cable, NA plug, EU/KR plug UK plug, AR plug, CH plug, JP<br>plug, 3-pin to 2-pin adapter for JP power cable |  |  |  |

### **Ordering Information**

| Model  | Part Number | Touch Technology            | Color | Availability |
|--------|-------------|-----------------------------|-------|--------------|
| 7001LT | E183504     | Infrared (up to 20 touches) | Black | Worldwide    |

### **Optional Computer Modules**

| Model    | Part Numbers (ECMG2B -<br>for IDS 01 Series Displays) | Processor                   | RAM | Storage   | os                   |
|----------|---|-----------------------------|-----|-----------|----------------------|
| ECMG2-i3 | E001292   | Intel Core i3 3.4GHz HD4400 | 2GB | 320GB HDD | No OS                |
|          | E001293   | Intel Core i3 3.4GHz HD4400 | 2GB | 320GB HDD | Windows 7            |
|          | E001294   | Intel Core i3 3.4GHz HD4400 | 2GB | 320GB HDD | Windows 8.1 Embedded |
|          | E991018   | Intel Core i3 3.4GHz HD4400 | 2GB | 128GB SSD | Windows 10           |
| ECMG2-i5 | E001295   | Intel Core i5 3.7GHz HD4600 | 4GB | 320GB HDD | No OS                |
|          | E001296   | Intel Core i5 3.7GHz HD4600 | 4GB | 320GB HDD | Windows 7            |
|          | E001297   | Intel Core i5 3.7GHz HD4600 | 4GB | 320GB HDD | Windows 8.1 Embedded |
|          | E991722   | Intel Core i5 3.7GHz HD4600 | 4GB | 128GB SSD | Windows 10           |
| ECMG2-i7 | E001298   | Intel Core i7 4.0GHz HD4600 | 8GB | 320GB HDD | No OS                |
|          | E001299   | Intel Core i7 4.0GHz HD4600 | 8GB | 320GB HDD | Windows 7            |
|          | E001300   | Intel Core i7 4.0GHz HD4600 | 8GB | 320GB HDD | Windows 8.1 Embedded |
|          | E992193   | Intel Core i7 4.0GHz HD4600 | 8GB | 128GB SSD | Windows 10           |

To find out more about our extensive range of Elo touch solutions, go to **elotouch.com**, or call the office nearest you.

#### **North America**

Tel +1 408 597 8000 Fax +1 408 597 8050 customerservice@elotouch.com

### **Europe** Tel +32 (0)16 70 45 00 Fax +32 (0)16 70 45 49 elosales@elotouch.com

**Asia-Pacific** Tel +86 (21) 3329 1385 Fax +86 (21) 3329 1400 www.elotouch.com.cn

### Latin America

Tel 786-923-0251 Fax 305-931-0124 www.elotouch.com

Elo reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. Elo and the Elo logo are either trademarks or registered trademarks of Elo Touch Solutions, Inc. All other trademarks are the property of their respective owners. © 2016 Elo Touch Solutions, Inc. All rights reserved. 16113AES00044



## Legacy Technology Services

### We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert 866-271-9891

### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

### Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

### **Discontinued product sourcing**

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

### Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
  - Data destruction
  - · Hardware disposal
  - Auditing services

### Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

### www.LegacyGlobal.com

### Some brands we carry







## Honeywell













