



Computer Modules for Interactive Digital Signage Touch Displays

Three optional Computer Modules (ECM1, ECM2 and ECM3), available for integrated use with Elo Interactive Digital Signage Touch Displays are well-suited for interactive media delivery. These high performance optional computer modules run Intel Dual-Core, Core 2 Duo or Core i5 processor, and slide into a dedicated bay behind the touch display.

The system is interoperable with content management servers and web-based consoles for seamless connection with the internet and applications such as multimedia sharing and electronic point-of-sale.

The computer modules can support optimal partitioning of locally cached and network stored content, allowing developers to monitor and deploy content via device-to-device or Web connections.

Benefits

- A fully self-contained end-point solution when coupled with IDS touch displays
- Professional-grade hardware provides improved durability
- Standard operating platform supports a variety of client interfaces
- Proprietary design enables field installation in the display without cables

Computer Modules for Interactive Digital Signage Touch Displays

Model	ECM1	ECM2	ECM3
Module dimensions	Width: 11.3" (287 mm); Depth: 9" (229 mm); Height: 2.3" (58 mm)		
Processor	Intel Celeron Dual-Core E1500 2.2 GHz 512 KB L2 Cache	Intel Core 2 Duo E8400 3.0 GHz 6 MB L2 Cache	Intel Core i5 i5-2405S 2.50 GHz 4x256KB L2 Cache
Chipset	Intel G41 Express	Intel G41 Express	Intel H61 Express
Video	Intel GMA X4500	Intel GMA X4500	Intel HD 3000
BIOS	AMI	AMI	AMI
Memory (RAM) Standard/max./slots	1 GB DDR2 DIMM on 1 of 1 slot	2 GB DDR2 DIMM on 1 of 1 slot	4 GB DDR3 DIMM on 1 of 2 slots
Hard Disk Drive	160 GB 2.5" SATA	160 GB 2.5" SATA	320 GB 2.5" SATA
Operating Systems Supported	ECM1, ECM2: Windows XP, Windows 7; No OS. ECM3: Windows 7, No OS		
Languages	<p>Win XP: 24 language groups: Arabic, Brazilian, Chinese (Simplified), Chinese (Traditional), Chinese (Hong Kong), Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish</p> <p>Win 7: 35 language groups: Arabic, Brazilian Portuguese, Bulgarian, Chinese (Simplified), Chinese (Traditional), Chinese (Hong Kong), Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hindi, Hungarian, Italian, Japanese, Korean, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian Latin, Slovak, Slovenian, Spanish, Swedish, Thai, Turkish, Ukrainian</p>		
USB Port(s)	4 Type A ports		
Ethernet Port(s)	1 Gigabit LAN RJ45		
Audio Port(s)	3.5 mm TRS jacks for Audio In, Audio Out, Microphone In		
Rear I/O (Summary of all above ports)	4 Type A USB ports 1 Gigabit Ethernet LAN RJ45 port 3 3.5 mm TRS jacks for Audio In, Audio Out, Microphone In		
Real Time Clock	Replaceable lithium-ion battery for clock		
Power supply	Power supplied by Digital Signage monitor		
Power consumption	150 W max		
Weight	Actual: 5.5 lb (2.6 kg) Shipping: 6.4 lb (2.9 kg)		
Shipping box dimensions	TBA		
Temperature	<p>ECM1, ECM2: Operating: 0°C to 40°C (32°F to 104°F) Storage: -20°C to 50°C (-4°F to 122°F)</p> <p>ECM3: Operating: 0°C to 35°C (32°F to 95°F) Storage: -20°C to 50°C (-4°F to 122°F)</p>		
Humidity (non-condensing)	Operating: 20-80%; Storage: 10-90%		
Agency approvals	US UL, FCC; Canada cUL, IC; Europe CE; Australia/New Zealand C-tick; China CCC; Japan VCCI; International CB		
Warranty	3 years		
MTBF	50,000 hours demonstrated		

To find out more about our extensive range of Elo touch solutions, go to www.elotouch.com, or call the office nearest you.

North America

ELO Touch Solutions
301 Constitution Drive
Menlo Park, CA 94025-1110
800-ELO-TOUCH
Tel 1-650-361-4800
Fax 1-650-361-4722
customerservice@elotouch.com

Europe

Tel +32 (0)16 35 21 00
Fax +32 (0)16 35 21 01
elosales@elotouch.com

Asia-Pacific

Tel +81 (45) 478-2161
Fax +81 (45) 478-2180
www.tps.co.jp

Latin America

Tel 786-923-0251
Fax 305-931-0124
www.elotouch.com.ar

Elo Touch Solutions, Inc. reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. Elo (logo), Elo Touch Solutions and IntelliTouch are trademarks of Elo Touch Solutions, Inc. Windows is a trademark of Microsoft Corporation.
Copyright 2012 Elo Touch Solutions, Inc. All rights reserved. 08/12

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684