Where Versatility Meets Flexibility

K17BH series

Configuration	K17BH series
LCD Display	17" TFT active matrix panel
Pixel Pitch	0. 264(H) x 0.264 (V) mm
Max. Resolution	SXGA 1280 x 1024
Contrast Ratio	500:1 (typical)
Brightness	300 Cd/m ² (typical)
Response Time (Tr+ Tf)	12 ms (typical)
Display Color	16.2M
Effective Display Area	337.9(H) x 270.3(V)
Viewing Angle (CR ≥ 10)	140° (H) x 130° (V)
Backlight	CCFL x 4
Lamp Life (hr)	50,000 (typical)
Input Signals	Analogue VGA
Signal Connector Analog Digital	D-sub 15 pin (VGA) DVI-D
Scan Frequency	H. scan 31~80KHz, V. scan 56 ~ 75Hz
Key Control	Power on/off with LED, Menu, Select, Adjustment (+, -)
Operating Condition Temperature Humidity Altitude	0°C-40°C (32°F-104°F) 20%-80% (no condensation) To 10,000 feet
Storage Condition Temperature Humidity	-20°C-60°C (-4°F-140°F) 10%-90% (no condensation)
Power Adaptor	Universal power adaptor input AC 100-240V, 50-60Hz Output DC12V / 4A
Power Consumption	48W
Power Management	VESA DPMS standard
Dimensions (WxHxD)	361.6 x 340 x 49.5 mm
Dimensions (Carton 2 in 1)	440 x 458 x 216 mm
Weight (Net)	1.9 Kg
Certification	FCC, CE

Features

- * High contrast color TFT LCD open frame display support resolution up to SXGA 1280 x 1024. Compatible with IBM VGA, VESA standards
- * Flexible mechanical designs for industrial applications
- * Multi-signals: VGA, DVI, Composite Video, S-Video (Auto detection of input signals)
- * Composite video system PAL/NTSC and SECAM compatible
- * Support DDC1/2B for Plug & Play compatibility
- * Advanced OSD control for picture quality adjustment
- * Hot key for AUTO adjustment
- * Auto power-on function

Optional Accessories

- * GTouch panel ready
- * 3M Capacitive touch panel
- * ELO 5 Wire resistive touch panel
- * Anti-Glare tempered glass
- * Customized touch solutions acceptable
- * USB HUB with 2 down tream ports and 1 up stream port

Ordering Information


- * K17BH-FA VGA only
- * K17BH-FB VGA + DVI
- * K17BH-FW VGA + Video-in
- * K17BH-FE VGA + DVI + Video-in

I/O Ports

Specifications are subject to change without notice.


Touch USB HUB DVI-D VGA DC in


Video I/O Ports




Mechanical drawing

Unit: mm







Back Side

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















