## Honeywell

## **Stratos 2700 Series**

## **Bioptic Scanner/Scale**

The Stratos<sup>™</sup> 2700 is Honeywell's first hybrid bioptic in-counter scanner that combines omnidirectional laser scanning and integrated area-imaging to provide a bar code reading platform optimized for the checkout experience. An ideal answer for traditional checkout lanes and self-checkout systems, the hybrid platform delivers rapid pass-through scanning of linear bar codes while simultaneously helping retailers to stay current with 2D and mobile bar code trends.

Equipped with field-upgradeable hardware modules like EAS antennas and scales, the Stratos 2700 was designed with both current and future needs in mind. Additionally, Honeywell's LCD display supplies users with a live video feed–enabling greater in-store visibility for tasks like monitoring for under the cart items. This functionality reduces the complexity, cost and risk associated with deploying visual loss prevention systems while continuing to address a pivotal problem that is commonly held by retailers.

The Stratos 2700 is also designed for easy serviceability, employing a "single tool" architecture that minimizes the time and equipment needed for repair. Troubleshooting the device is also simplified through the availability of full text diagnostic messages that are shown on the LCD display. The display can show several messages and statuses in multiple languages. Lastly, Honeywell's Remote MasterMind<sup>™</sup> device management software offers added value by enabling IT professionals to manage the entirety of their bioptic install base and connected devices from a central location.

Expanding beyond what is conventionally required for bioptics, the Stratos 2700's hybrid scanning platform and peerless feature-set position retailers for improved growth and profitability.



#### Features

- **Hybrid Scanning Platform:** Engineered to meet current and emerging retail trends, this hybrid solution seamlessly integrates both laser and imaging technologies for high performance scanning
- LCD Display: Live video feed enables cashiers to monitor items under the cart in an effort to reduce losses due to shrinkage which have been estimated to be greater than \$2500 per lane per year
- **Field-Upgradeable Hardware Modules:** Expands device functionality via simple, single-tool upgrades that can be completed in less than 15 minutes
- **TotalFreedom<sup>™</sup> 2.0:** Second-generation software development platform enables valuable add-on software to run directly on the scanner, eliminating the need for host system modifications. Honeywell's TotalFreedom solutions including flexible parsing plug-ins for GS1 Databar and North American driver's licenses
- Remote MasterMind<sup>™</sup> Ready: Turnkey remote device management solution that manages, tracks and upgrades installed bioptic scanners and connected devices reducing total cost of ownership

### **Stratos 2700 Technical Specifications**

Mechanical			
Product	2751	2752	2753
Length	353mm (13.9") 399 mm (15.7") 508 mm (20")   292 mm (11.5") x 178 mm (7.0") x 104 mm (4.1") 508 mm (20")		
Dimensions (W x H x D)	7.1kg (15.8 lbs)	7.5kg (16.6 lbs)	8.1kg (17.9 lbs)
Weight (no scale)	7. TKg (15.0 Lbs)		
Weight (scale)	Ormakian Diamanan	9.9kg (21.8 lbs)	10.8kg (23.9 lbs)
Glass Types	Sapphire, Diamonex		
Electrical			
Input Voltage	12 VDC ± 0.5 VDC		
Operating Power	10.2W (850mA @ 12vDC)		
Standby Power	4.9W (410mA @ 12vDC)		
Host System Interfaces	USB, RS232, IBM 46xx (RS485)		
Periperhal Interfaces	2x USB, 1x RS232, Scale Display, Composite Video, EAS		
Camera Output Power	3.6W (300mA @ 12VDC)		
Indicators			
LEDs	Top Indicator Bar: Dim Green: laser on, ready; Bright Green Flash: good read; Blue: EAS Deactivate Front: Amber: Scale at Zero		
Diagnostic Display	Full text diagnostic display		
Environmental			
Operating Temperture	10°C to 40°C (50°F to 104°F)		
Storage Temperature	-40°C to 70°C (-40°F to 140°F)		
Humidity	5% to 95% relative humidity, non-condensing		
Environmental Sealing	IP42		
Light Levels	0 to 80,000 lux (7,432 foot-candles)		
Scan Performance			
Scan Technology	Hybrid: Omnidirectional Laser + Area	mage	
Sides Read / Scan Zone	6 / 360		
Scan Pattern	Laser: 192 total scan lines; Imager: VGA Image		
Scan Speed	21,500 scan lines		
Resolution	1D: 4 mil; 2D: 6.7mil		
Print Contrast	25%		
Decode Capability	Reads standard 1D, GS1 Databar and 2D symbologies		
Warranty	2 year factory warranty		
Electronic Article Surveilla	nce		
Sensormatic	Ultra•Max <sup>®</sup> integrated EAS antenna (upgradable)		
Checkpoint	Counterpoint & EVOLVE integrated EAS antenna		
Scale			
Capacity	0-6 kg x 0.002 kg; 6-15 kg x 0.005 kg; (0-15 lb x 0.005 lb; 15-30 lb x 0.01 lb)		
Communication Protocols	Compatible with most Point of Sale systems		
Approvals	NTEP, OIML, CE		
Scale Compatability	Mettler Toledo		

For a complete listing of all compliance approvals and certifications, please visit www.honeywellaidc.com/compliance For a complete listing of all supported bar code symbologies, please visit www.honeywellaidc.com/symbologies

#### For more information:

www.honeywellaidc.com

#### **Honeywell Scanning & Mobility**

9680 Old Bailes Road Fort Mill, SC 29707 800.582.4263 www.honeywell.com



## Honeywell

2700-DS Rev A 12/12 © 2012 Honeywell International Inc.

## Legacy Technology Services

## We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert 866-271-9891

#### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

#### Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

#### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

#### **Discontinued product sourcing**

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

#### Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
  - Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

#### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

#### www.LegacyGlobal.com

#### Some brands we carry







## Honeywell













