

Point Of Care Terminal U20-P170

















Unytouch Manufacturing is proud to present a completely new, versatile approach to Point Of Care Terminals.

Addressing key drivers such as performance, durability and cost the Unytouch Point Of Care Terminal is well suited for the most demanding healthcare applications. Featuring a compact fanless design, multiple I/O ports and wireless connectivity, the Unytouch Point Of Care Terminal makes the most of your digital world.

KEY FEATURES

- Fanless CPU Intel Atom D525
- Rugged metal enclosure
- 802.11 N Wireless
- Privacy Filter Option
- Easily Accessible I/O
- 3yr Warranty



Point Of Care Terminal U20-P170

PC SPECIFICATIONS	
CPU	Fanless Intel Atom D525, 1.8 Ghz
64 Bit Processing	Yes
Chipset	Intel NM10 Express
FSB	DMI
Hard Drive	250 GB
Hard Drive Interface	SATA
Memory	Number of slots: 2 (240 Pin DIMM) Installed Memory: 2 GB Maximum Memory: 4 GB
Graphics	Intel 3150
Audio	6 CH Intel HD Audio
Network	10/100/1000
I/O Ports	4 USB 2.0 1 VGA 1 LAN 1 RS-232 COM 1 Parallel 1 PS2 Keyboard 1 PS2 Mouse 3 Audio Jacks: Line-out, Line-in, Mic-in

MODELS	
5 Wire Resistive	U20-P170UR-ADC
Surface Wave	U20-P170US-PDC

	3 Audio Jacks: Line-out, Line-in, Mic-in
MONITOR SPECIFICATIONS	
LCD Panel	17" TFT LCD Active Matrix Display
Resolution	1280 x 1024
Contrast Ratio	1000:1
Brightness	250 cd/m²
Response Time	4 ms
Pixel Pitch	0.297 mm x 0.297mm
Plug & Play	DDC 2B Compliance
Touch Technology	Optional 5 Wire Resistive, Capacitive Technology
Touch Interface	Dual Serial/USB
Touch Active Area	13.39" (340 mm) x 10.72" (272.4 mm)
Operating Enviroment	0 °C - 40 °C (32 °F - 104 °F) 10%-80% (no condensation)
Storage Conditions	-20 °C - 50 °C (-4 °F - 140 °F) 10%-90% (no condensation)
Package Dimensions (W x H x D)	15 ^{3/8} x 2 ^{3/4} x 12 ^{3/4} 400.05 mm x 69.85 mm x 323.85 mm
Weight	18 Lbs (39.6 Kg)
Vesa Pattern	75 x 75, 100 x 108 mm
Mounting Option	Desktop (Optional), Wall Mount
Viewing Angle	80°/80°/80°/80°(L/R/U/D)
MTBF	50,000 Hours
PC Video Interface	Analog RGB (VGA)
Horizontal Scan Rate	30-60 Khz
Vertical Scan Rate	56-75 Hz
Display Mode	VGA 720 x 400 (70 Hz) VGA 640 x 480 (60/66/70/72/75 Hz) SVGA 800 x 600 (60/70/72/75 Hz) XGA 1024 x 768 (56/70/75 Hz) SXGA 1280 x 1024 (60/70/75 Hz)
Electrical Power	Adapter Input: 100 - 240 VAC, 50 - 60 Hz, Adapter Output: 12 VDC, 50 - 60Hz
Power Consumption	30 W (max)
Certification	CE , UL, FCC

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















