# **SRP-330II**

3 inch Thermal POS Printer











# Durable and Cost-Efficient







#### **Cost-Efficiency**

- All in one Plus™ Interface
- Triple Interface USB V2.0 FS + Ethernet + Serial
- Dual Interface USB V2.0 FS + Serial USB V2.0 FS + Parallel USB V2.0 FS + SD
- Paper saving mode, reducing the length of a receipt up to 25%



# **Reliable Printing Performance**

- Printing speed up 220 mm/sec
- High reliability mechanism : 150 km TPH & 1.5 Million cuts Auto Cutter
- 203 dpi supported





#### **User-Friendly Design**

- Stand-alone or space-saving wall-mount use
- 2" or 3" paper choice
- 2 inch partition included
- Anti-jam guide
- Easy Tracking™ supports a QR code linking to the technical support micro site on a unique label plate found on the bottom of the printer



# **SRP-330II**

# 3 inch Thermal POS Printer

# **Specifications**

# **Print Characteristics**

#### **Print Method**

Direct Thermal

### **Print Speed**

220 mm/sec

#### **Print Resolution**

SRP-330II: 180 dpi SRP-332II: 203 dpi

#### **Print Width**

Up to 72 mm

#### Sensor

Paper End, Cover Open

#### **Media Characteristics**

#### Media Type

Receipt

#### Media Width

80 mm, 58 mm (with 2 inch Partition)

#### Media Roll Diameter

Up to 80 mm

#### **Media Thickness**

 $0.062 \sim 0.075 \, \text{mm}$ 

#### **Supply Method**

Easy Paper Loading

### **Physical Characteristics**

# Dimensions (W x L x D)

145 x 198 x 146 mm (5.72 x 7.79 x 5.74 inch)

#### Weight

1.37 kg (3.02 lbs.)

#### Power

EnergyStar Certified,

External Power Adaptor 100-240V AV, 50/60Hz

#### **Drawer Port**

2 ports (via y-type adaptor)

#### **Performance Characteristics**

#### Memory

64 Mbit SDRAM, 32 Mbit FlashROM

#### **NV Image Memory**

768 Kbytes (Mono)

#### **Receive Buffer**

4 Kbytes

#### **User Define Buffer**

12 Kbytes

#### Interface

- Triple Interface USB V2.0 FS + Ethernet + Serial
- Dual Interface USB V2.0 FS + Serial USB V2.0 FS + Parallel USB V2.0 FS + SD

### **Environment Characteristics**

#### Temperature

Operating: 0 ~ 40°C (32 ~ 104°F) Storage:  $-20 \sim 60^{\circ}$ C ( $-4 \sim 140^{\circ}$ F)

#### Humidity

Operating: 10 ~ 80% RH Storage: 10 ~ 90% RH

#### Reliability

#### Thermal Print Head (TPH)

150 km

#### **Auto Cutter**

1.5 Million Cuts

#### \*\*\* Specified Paper

- TF50KS-E (Paper thickness: 65µm) : Nippon Paper industries Co., Ltd.
- PD 150R (Paper thickness: 75µm)
- : New Oji Paper Mfg, Co., Ltd
- PD 160R (Paper thickness: 75μm) : New Oji Paper Mfg, Co., Ltd.
- P350 (Paper thickness: 62µm) : Kansaki Specialty Paper, Inc. (USA)

# Software

#### **Emulation**

BXI / POS

#### Driver / Utility

Windows Driver, OPOS Driver, JPOS Driver, Linux CUPS Driver, Mac Driver, Virtual COM USB/Ethernet Driver, Utility Program

#### SDK

iOS SDK, Android SDK

# Fonts / Graphics / Symbologies

#### Character Size

Font A:  $12 \times 24$  Font B:  $9 \times 17$  Font C:  $9 \times 24$ KOR, CHN, JPN: 24 x 24

#### Characters Per Line

SRP-330II: - Font A: 42 Font B, C: 56 KOR, CHN, JPN: 21

SRP-332II: - Font A: 48 Font B, C: 64 KOR, CHN, JPN: 24

#### **Character Sets**

Alphanumeric: 95 Extended Graphics: 128 × 33 page International: 32

#### Graphics

Supporting user-defined fonts, graphics, formats, and logos

#### **Barcode Symbologies**

1D: Coda Bar, Code39, Code93, Code128, EAN-8, EAN-13, ITF, UPC-A, UPC-E

2D: Data Matrix, PDF417, QR Code

# Fonts / Graphics / Symbologies

#### Standard

2 inch Partition

# Optional

USB A-B Cable, External buzzer, B-Melodist









BR-SRP-330II-EN-APR16-V1

Copyright © BIXOLON Co., Ltd. All rights reserved. Features and specifications are subject to change without prior notice.













# **Legacy Technology Services**

# We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert

866-271-9891

# About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

# Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

# **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

# Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

# Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

# **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















