

# **COMPACT AND COMPLETE**

The Lynx™ PDA combines the latest technology in a pocketable and robust package. This state-of-the-art PDA features an 806 MHz processor with 256 MB RAM and 512 MB Flash, all delivered in the industry's most appreciated ergonomic form factor. The Lynx PDA has handy LED's to provide instant status on battery charging, good read indicator and keyboard state. It offers a vibrator for customizable alerts and an accelerometer to automatically orient the display.

# INDOOR AND OUTDOOR RELIABILITY

The Lynx PDA offers excellent aesthetics complimented by industrial robustness that survives indoor and outdoor usage. A high drop resistance rating ensures the ruggedness of the Lynx PDA.

#### **DATA CAPTURE**

The Lynx PDA comes equipped with either a 1D laser scanner or a 2D bar code imager. For emerging applications requiring evidence of task execution or damaged documentation, an autofocus camera is included with a built-in flash providing a solution to collect and document with photos.

# **WIRELESS COMMUNICATIONS**

The Lynx wireless technology provides four radios with internal antennas: Bluetooth® EDR for fast and close data connections, 802.11 b/g/n Cisco CCX v4 certified for quick wireless network access, 3G/4G (HSPA+) for real-time wide area communication and Assisted GPS (A-GPS) with Skyhook's Core Engine hybrid positioning system for location based applications.

### **DEVELOP, DEPLOY, DIRECT**

The Lynx PDA integrates the latest Microsoft operating system using Windows® Embedded Handheld 6.5 for mobile devices. This industry leading operating system is complimented by Wavelink Avalanche® to enable fast configuration and deployment.

#### **FEATURES**

- Ergonomic, compact and robust
- Microsoft Windows Embedded Handheld 6.5
- Assisted GPS (A-GPS) with Skyhook's Core Engine hybrid positioning system for location-based applications
- 3G/4G (HSPA+) mobile radio for voice and data communication
- Summit embedded 802.11 b/g/n radio Cisco CCX v4 certified for enterprise-class mobile connectivity
- Bluetooth® wireless technology Class 2 with EDR for simultaneous connections with lower power consumption
- · Laser or wide aspect 2D imager
- 3 Megapixel autofocus camera with flash
- 256 MB RAM / 512 MB Flash memory
- XScale<sup>™</sup> PXA 310 @ 806 MHz processor
- User-accessible micro SD memory slot (SDHC)
- Ruggedized with 1.2 m / 4 ft drop to concrete resistance and IP54 protection class
- Wavelink Avalanche® device management pre-licensed

#### **INDUSTRY - APPLICATIONS**

- Retail: Merchandising, Pricing, Stock Management, Inventory, Assisted Sales and Gift Registry
- T&L: Route Accounting, Direct Store
   Delivery, Work Force Management,
   Courier Value-added Services and Ticket
   Verification
- Manufacturing: Electronics & Computers/ Food & Beverage Merchandising, Field Sales and Management
- Hospitality/Entertainment: Cinemas, Theaters, Museums, Events, Travel, Leisure and Ticket Verification
- **Services:** Commercial Services, Library Management





















SPECIFICATIONS LYNX™

#### WIRELESS COMMUNICATIONS

LOCAL AREA NETWORK (WLAN) Summit IEEE 802.11 b/g/n Cisco CCX v4 certified

PERSONAL AREA NETWORK (WPAN) WIDE AREA NETWORK (WWAN) Frequency range: Country dependent, typically 2.4 GHz bands Bluetooth® Wireless Technology IEEE 802.15 v2.0 with EDR 3G/4G (HSPA+), 4G when used on AT&T network with enhanced backhaul: 800/850/900/1900/2100 MHz

GSM/GPRS/EDGE: 850, 900, 1800, 1900 MHz for voice and data

communication; SIM socket under the battery

GLOBAL POSITION SYSTEM (GPS) Integrated Assisted-GPS (A-GPS) with Skyhook's Core Engine

Hybrid Positioning System

### **DECODING CAPABILITY**

1D / LINEAR CODES Auto discriminates all standard 1D codes including

GS1 DataBar™ linear codes.

2D CODES Aztec Code, Data Matrix, MaxiCode, QR Code, UPU FICS,

USPS Intelligent Mail

POSTAL CODES Australian Post, Japan Post, KIX Code, PLANET, POSTNET,

Royal Mail Code (RM4SCC)

STACKED CODES Micro-PDF417, PDF417, GS1 DataBar Composites, GS1 DataBar

Expanded Stacked, GS1 DataBar Stacked, GS1 DataBar Stacked

**Omnidirectional** 

#### **ELECTRICAL**

**BATTERY** Removable battery pack with rechargeable Li-lon batteries.

Standard: 3.7 V; 1800 mAh (6.7 Watt-hours) Extended: 3.7 V; 3600 mAh (13.3 Watt-hours)

#### **ENVIRONMENTAL**

**DROP RESISTANCE** 

PARTICULATE AND WATER SEALING

TEMPERATURE

Operating: 0 to 50 °C / 32 to 122 °F

Storage/Transport: -20 to 70 °C / -4 to 158 °F

Withstands drops from 1.2 m / 4.0 ft onto concrete

#### **INTERFACES**

DISPLAY

INTERFACES Micro-USB connector: USB 1.1 Client and USB 1.1 Host

Handylink connector: integrated RS-232 up to 115.2 Kbps,

USB 1.1 Client, USB 1.1 Host

Ethernet: via single dock (external module) or multiple cradle

#### PHYSICAL CHARACTERISTICS

 DIMENSIONS
 With Standard Battery: 14.4 x 6.8 x 2.7 cm / 5.6 x 2.6 x 1.0 in

 With Hi-Capacity Battery: 14.4 x 6.8 x 3.3 cm / 5.6 x 2.6 x 1.3 in

TFT-LCD color display QVGA: 320 x 240 pixels; 2.7 in diagonal;

262, 144 color display capability; Full Graphics with backlight;

Touch Screen

**KEYBOARD** 27-key Numeric or 46-key QWERTY backlit keyboard standard;

Side scan keys and volume setting

WEIGHT With Standard Battery: 270.0 g / 9.5 oz

With Hi-Capacity Battery: 300.0 g / 10.6 oz

#### **READING PERFORMANCE**

CAMERA Resolution: 3 megapixel; Illumination: User controllable flash;

Lens: Auto focus

IMAGING Optical Resolution: Linear codes: 4 mils; 2D codes: 5 mils;

Scan Rate: 60 frames/sec maximum

Depth of Field: 3.5 to 41.5 cm / 1.4 to 16.4 in, depending on bar

code density and type

Resolution: VGA (752 H x 480 V pixels), 256 gray scale

Image Format: BMP, JPEG

Scan Rate: 104 +/- 12 scan/sec Optical Resolution: 0.10 mm / 4 mils

Depth of Field: 3 to 62 cm / 1.2 to 24.4 in, depending on bar

code density

#### **SAFETY & REGULATORY**

AGENCY APPROVALS

The product meets necessary safety and regulatory approvals

for its intended use.

ENVIRONMENTAL COMPLIANCE Complies to EU RoHS

 LASER CLASSIFICATION
 VLD - Class 2 IEC/EN60825-1; Compliant with 21 CFR 1040.10

except for deviations pursuant to laser notice No. 50 dated

June 24, 2007.

#### SOFTWARE

LASER

**APPLICATIONS** Pal™ Application Library

Vo-CE™ (voice recognition)

Wavelink SpeakEasy (voice recognition) Wavelink Industrial Browser™

CONFIGURATION AND MAINTENANCE Wavelink Avalanche® pre-licensed

Avalanche Remote Control™ Avalanche SecurePlus™ Datalogic Firmware Utility (DFU) Datalogic Desktop Utility (DDU) Datalogic Configuration Utility (DCU) Datalogic Locked Browser (WAL)

**DEVELOPMENT** Datalogic Windows SDK™

MCL-Collection™ Wavelink Studio™ Java Virtual Machine

TERMINAL EMULATION Wavelink Terminal Emulation™

Wavelink ConnectPro™

#### SYSTEM

REAL-TIME CLOCK

EXPANSION SLOTS Micro-SD card slot: Compatible with Micro SD-HC cards; User-accessible

MEMORY System RAM: 256 MB System Flash: 512 MB

MICROPROCESSOR XScale™ PXA310 @ 806 MHz

OPERATING SYSTEM Microsoft Windows Embedded Handheld 6.5 with Mobile

Tools: Outlook, Word Mobile, Excel Mobile, PowerPoint Mobile,

One Note Mobile and Internet Explorer Mobile 6.0 Time and date stamping under software control



Caution: Laser Radiation - do not stare into beam

# ACCESSORIES.....

Base Stations/Chargers



• 94A150036 Single Slot Dock (SSD)



94A150037 4-Slot Charging Dock
94A150038 4-Slot Ethernet Dock



• 94A150039 4-Slot Battery Charger



• 94ACC1371 SSD Ethernet Module



• 94ACC1372 SSD Modem Module

© 2012 Datalogic ADC, Inc. • All rights reserved. • Protected to the fullest extent under U.S. and international laws. • Copying, or altering of this document is prohibited without express written consent from Datalogic ADC, Inc. • Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. • Lynx is a trademark of Datalogic ADC, Inc. • Pal is a trademark of Datalogic ADC, Inc. • Pal is a trademark of Datalogic ADC, Inc. • The Bluetooth mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks is under license. • All other brand and product names are trademarks of their respective owners. • DS-LYNX-EN 20121030

# **Legacy Technology Services**

# We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert

866-271-9891

# About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

## Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

# **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

### Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

### **Trade-in and Disposal services**

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

# **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















