

Solaris 7980g

Area-Imaging Vertical Slot Scanner

For retailers looking to elevate checkout throughput, improve the customer experience, and better execute mobile marketing programs, Honeywell's Solaris™ 7980g vertical slot scanner is up to the task. With its compact, modern design and powerful imaging capabilities, the 7980g fits easily into existing enclosures used in high-volume retail checkout environments such as convenience, drug, specialty, liquor and grocery stores.

Incorporating Honeywell's Adaptus™ 6.0 area-imaging technology, the 7980g delivers exceptional scanning performance on 1D and 2D barcodes and can even read smartphone screens, digital wallets and printed identification cards. Omni-directional scanning capability—along with an extended depth of field and advanced decoding software—allows cashiers to scan virtually all barcodes on first pass, with minimal concern for orientation or barcode print quality.

For retailers that anticipate the need to read 2D codes in the future, but do not need this capability today, the 7980g can also be purchased as an omnidirectional 1D scanner with the capability to be affordably upgraded to a full 2D area-imager at any point in the future. Now, it's no longer necessary to purchase new scanners when your data capture needs evolve; the Solaris 7980g grows with your business.



The Solaris 7980g area-imaging scanner can read smartphone coupons, digital wallets, and identification cards with ease.

Installing 7980g into an existing checkout systems is easy. Multiple on-board interfaces make the 7980g compatible with most POS systems, and automatic interface detection speeds up installation. A handheld scanner can be connected via a multi-function USB auxiliary port, providing a single point of communication. The 7980g further simplifies integration by drawing power directly through USB, eliminating the need for an additional power supply and cabling.

FEATURES & BENEFITS



Available with powerful 2D imaging capable of reading digital coupons off smartphone screens, and printed ID cards



Soft, white LED illumination eliminates glare without compromising performance



Purchase the 7980g as a linear scanner, and upgrade it to a full area-imaging 2D scanner in the future—as your data capture needs evolve



Simple to install, with integrated EAS, power-over-USB, and an auxiliary USB port for scanner connectivity



Easy to use, with a capacitive touch button and intuitive LED indicators that face the user

Solaris 7980g Technical Specifications

MECHANICAL

Dimensions (H x W x D): 148 x 152 x 85 mm (5.83 x 5.98 x 3.35 in)

Weight: 539g (19 oz.)

ELECTRICAL

Scanner Unit (not including auxiliary scanner):

Input Voltage: 5.0 to 5.2 V Operating Current: 400mA Standby Current: 270mA Sleep Mode Current: 210mA

Power Supply:

Input Voltage: 100 - 240V/50 - 60HZ

Output Current: 5.2V / 1.0 A

Host System Interfaces: USB, Keyboard Wedge,

RS232, IBM 46xx (RS485)

Auxiliary Ports: USB: Secondary Scanner

EAS Features:

Checkpoint Systems: Integrated RF EAS Antenna Sensormatic: Good Read Acknowledgement

ENVIRONMENTAL

Operating Temperature: 0°C to 40 °C (32°F to 104°F)

Storage Temperature: -20°C to 60 °C

(- 4°F to 140°F)

Humidity: 5% to 95%, relative humidity,

non-condensing IP Rating: IP5X

Light Levels: 100,000 lux

SCAN PERFORMANCE

Scan Pattern: Area image (1280 x 960 pixel array) Motion Tolerance: 3.0 m/s (118 in/s) for UPC

13mil at optimal focal point

Scan Angle: Horizontal: 42° Vertical: 34°

Print Contrast: 25% minimum reflectance difference Pitch, Skew: +/-65°, +/-75°

Decode Capability:

Reads standard 1D, PDF, 2D, Postal and

OCR symbologies

Note: Decode capabilities dependent on kit

configuration

Warranty: 3 year factory warranty

TYPICAL PERFORMANCE

Depth of Field	
10 mm - 140 mm (0.4" - 5.5")	
0 mm - 270 mm (0" - 10.6")	
0 mm - 300 mm (0" - 11.8")	
20 mm - 140 mm (0.8" – 5.5")	
15 mm - 190 mm (0.6" – 7.5")	
0 mm - 190 mm (0" - 7.5")	
1D (Code 39): 3 mil 2D (DM): 8.3mil	

Performance may be impacted by bar code quality and environmental conditions

For a complete listing of all compliance approvals and certifications, please visit www.honeywellaidc.com/compliance. For a complete listing of all supported barcode symbologies, please visit www.honeywellaidc.com/symbologies.

Honeywell Sensing & Productivity Solutions

9680 Old Bailes Road Fort Mill, SC 29707 800-582-4263 www.honeywell.com



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















