EzWriter

Full-Featured Magnetic Stripe Reader-Writer

For Reading, Writing, and General Card Issuing Operations

Precision Writing on MagStripe Cards

ID TECH EzWriterTM encodes, reads, & verifies three tracks of Mag-Stripe data in a single swipe. A high resolution tachometer precisely locates encoding; the encoding quality exceeds ISO 7811 standards for new cards. Data density is selectable to 75 or 210 BPI for any track. High or low coercivity is software selectable. An LED provides operation status.

Heavy Duty and Long Life

Full-length guides & a deep card slot ensure accurate card alignment and registration. The low force design of EzWriter ensures a smooth and easy card swipe which provides an operating life for more than 1,000,000 card swipes. The die cast housing gives durability and maximum stability during reading and writing operations.

WorkShop TM PC Software

Workshop™ is ID TECH's Windows based PC software utility. It includes all standard and many custom options for reading & writing to a MagStripe card. A single window shows the reading & writing format selections for each track. Default selections are available for simple & correct set-ups when encoding ISO, AAMVA or other formats. Database and file operations are supported. Convenient features such as track erasing, card data comparisons, and sequential data writing are included. The EzWriter communicates via an RS-232 or a USB-RS232 serial COM port interface.

Features and Benefits

- Reads and writes MagStripe cards, tickets, badges, and passbooks in a single swipe
- Reads & writes up to 3 tracks of information and any combination of 210 or 75 bpi densities
- EzWriter provides 1 million read & write operations minimum for heads, tachometer, & electronics
- Workshop[™] software is easy to use & guides the user quickly through the reading & writing processes
- Easily configures the unit to Hi or Low coercivity by changing a software setting only
- Die cast housing provides durability, stability and maximum life





EZWriter Specifications **IDWA-33XXXX**

Electrical

Operating Voltage: 24VDC + /-10% (Power Adaptor Module Included). Power Consumption: < 2AMPS (Triple Track Reading & Writing at High Coercivity).

160,000 Power On Hours. MTBF: 75 or 210 BPI, for each track. Encoding/Decoding Density: 250 to 4200 oersted Media Coercivity: Communication: RS232, USB-RS232

Environmental

Operating Temperature: 32° F to 122° F (0° C to 50° C). Maximum 95% non-condensing

Storage Temperature: 14° F to 140° F (- 10° C to 60° C), non-condensing.

Reliability

Read Head Life: 1,000,000 passes minimum.* Write Head-1,000,000 passes minimum.*

Low Amplitude: Read > 30%@210 BPI, > 40%@75 BPI.

Meets or exceeds ISO 7811 requirement for new cards. Write Performance:

Warranty: One year, parts and labor.

FCC Class A, CE Class A, and UL Listed. Agency:

Mechanical

Setup

Card Formats: ISO/ANSI, AAMVA, and "USER" (Custom). Available Configurations: Tracks 1 and 2 or Tracks 1, 2, and 3.

Swipe Speed (Reading): 5 to 55 inches per second. Swipe Speed (Writing): 5 to 35 inches per second. Media Thickness: .007 to .045 inches. Weight: 3 lb (1.36 kg).

Dimensions (HxWxL): 2.6 inches (67 mm) x 2.5 inches (64 mm) x 8.0 inches (204 mm) (includes feet)

Color:

Housing: Die cast zinc (ZAMAK).

Workshop Software Application Features

Writes data to a card in the Card Type format Reads card data and displays the data in Track boxes Read Compares multiple cards to a single reference card Compare Erases the selected tracks of data on a card Erase Sequential Write Writes both fixed and/or sequential data to a card Write from File Writes to each card the next record from a file Read to File Reads a card and enters the data as a record into a file

Writes cards from a database CSV file and Setup file Database Write Card Type

Provides card format selection based on Setup and Standards -ISOSelects 7811 ISO Standard card format - AAMVA Selects AAMVA standard, based on ISO Standards

- USER Selects the card format from settings in Setup USER tab - RAW Reads and writes data and displays in a Hexadecimal format

Provides selections and settings of formats and track parameters

— Leading Zero Sets number of leading zeros before the Start Sentinel - BPI Setting Selects individual track data density (75 or 210 bits/inch) Sets the writing coercivity to High or Low (all tracks) Set Coercivity - Start Sentinel Selects the Start Sentinel character for the individual tracks End Sentinel Selects the End Sentinel character for the individual tracks - Bits/Character Selects the number of bits per character for individual tracks

Parity Selects character parity bit logic for individual tracks - - Default Resets the parameters and settings to the standard norms

* All reliability numbers are based on operation in a benign environment.



Corporate Headquarters:

10721 Walker Street Cypress, California 90630 (714) 761-6368 Fax: (714) 761-8880 www.idtechproducts.com sales@idtechproducts.com

International Sales Office for Canada & South America:

+450 465 5261 (Canada) robertop@idtechproducts.com

European Sales Office:

+33 5 65 50 28 59 (France) +49(0) 8851 6159900 (Germany) emea@idtechproducts.com

ISO 9001: 2000 Certified



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















