

MAGTEK®
SECURITY FROM THE INSIDE

mobile
payments

cDynamo

Secure Card Reader Authenticator for iPad



cDynamo SCRA

The cDynamo makes mobile payments easier than ever. It delivers a form fitted enclosure case with integrated secure card reader authenticator (SCRA) for iPad mini 3, iPad mini 2, iPad mini, iPad Air 2 and iPad Air to keep them safe, while enabling merchants to accept mobile payments.

cDynamo offers the MagneSafe™ Security Architecture (MSA) combined with the power of iOS tablets (with Lightning interface). The MSA delivers open standards encryption with simple, yet proven DUKPT key management, immediate tokenization of card data, and MagnePrint® card authentication to maximize data protection and prevent the use of counterfeit cards. Mobile merchants can leverage the power of their iOS tablets without the worries of handling or storing sensitive card data at any time. Ideal for small to mid-size merchants, this powerful combination assures convenience and cost savings while ensuring transaction security from the moment the card is swiped all the way to authorization.



Call a representative to learn more 562-546-6400.

Specifications

Other devices claim to encrypt data in the reader. The cDynamo encrypts the data inside the read head, closest to the magnetic stripe and offers additional security layers with immediate tokenization of card data and MagnePrint card authentication. This layered approach to security far exceeds the protection of encryption by itself, decreases the scope of PCI compliance, and reduces fraud.

The cDynamo is rugged and affordable to withstand real world use and performs to the high standards set by MagTek, the world's most prolific supplier of secure payment technology for over 40 years. The swipe path is optimized for a more reliable and stable one-swipe read.

The cDynamo features a 100mm VESA (Video Electronics Standards Association) mounting pattern that provides fixed mounting for greater security and convenience. This allows users to deploy the cDynamo in a variety of off the shelf semi-mobile or permanent mounts eliminating the need for expensive customization.

Charging the cDynamo and connected iPad is easy with the cDynamo's built-in, pass-through, micro-USB port that accommodates Apple certified USB cables and power bricks.

MagTek provides SDKs and APIs for easy development and integration to reduce time to market.

Product Compatibility

PN 21087005: iPad Air

PN 21087006: iPad mini 3, iPad mini 2, iPad mini

PN 21087007: iPad Air 2, 6th gen



Secure Card Reader Authenticator (SCRA)

Three (3) tracks, bi-directional read
ISO 7810/7811, ANSI/ISO/AAMVA and custom formats
Card Speed: 6 to 60 ips (15 to 152 cm/s)
Protects card data per PCI DSS requirements
MagnePrint® card authentication
Generates dynamic payment card data with each swipe
Device/host authentication
Unique, non-changeable serial number
Time bound session IDs
Triple DES open standards-based encryption
DUKPT key management
Immediate card data tokenization and masked data

MESSAGE FORMAT	ASCII
INTERFACE CONNECTOR	Lightning connection only
OPERATING SYSTEM	iOS 6 or newer
CONTROLS	<p>cDynamo has no user controls. Control, status and data functions are provided by the host interface.</p> <p>The system requires software on the host device to direct the operation of the card reader through the application programming interface (API).</p>
VOLTAGE/POWER/CHARGING	Current: 50mA max. 100% of its power is from the iOS tablet. There is no power switch and no batteries are required. Micro-USB port is for charging the tablet only and cannot be used as an interface.
MFfi	approved device
MOUNTING	VESA Mount = MIS-D 4" x 4" (100mm x 100mm) Qty 4 - M4 screw threads
MECHANICAL	
iPad mini 3 iPad mini 2 iPad mini	W 5.47 x L 9.71 x D 0.72 (inch) WT: 1.5lb with iPad mini
iPad Air 2 iPad Air	W 6.85 x L 11.28 x D 0.72 (inch) WT: 1.5lb with iPad Air/2
ENVIRONMENTAL	
TEMPERATURE	
Operating:	0 °C to 35 °C (32 °F to 95 °F)
Storage:	-20 °C to 45 °C (-4 °F to 113 °F)
HUMIDITY	
Operating:	5% to 90% noncondensing
Storage:	5% to 90% noncondensing
ALTITUDE	
Operating:	3000m (10,000 ft)

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684