


Minuteman[®] Entrust[™] UPS Series Line Interactive Uninterruptible Power Supply

ETR500 - 500VA/300W • ETR700 - 700VA/420W ETR750 - 750VA/420W • ETR1000 - 1000VA/600W ETR1500 - 1500VA/900W





The Minuteman Entrust Series UPS is an exciting Entrust Features

new UPS line that provides users all the features, usually • available in higher-priced UPS products, to protect your valuable equipment, offering voltage regulation, spike and surge protection and battery backup.

Each unit has four outlets that provide backup battery support along with spike and surge protection. There are an additional four spike and surge protected outlets for accessory devices that don't require battery support. In addition, two of the outlets are specifically spaced to support equipment with transformer blocks.

The small, uniquely designed, footprint of the Entrust UPS is ideal for placement on or under a desk. All models in the Series can also be installed vertically on a shelf in a • rack or cabinet installation.

Additionally, Entrust UPS products come with all the award-winning service and support capabilities offered by • Para Systems, Inc., including a three-year limited warranty, (two-years on the battery), and a \$75,000 Platinum Protection Plan (USA and Canada only).

- **USB Communications** The Entrust Series has HIDcompliant USB communication that is automatically recognized by all Windows[®] software versions and require no special drivers.
- **Buck/Boost Voltage Regulation** Provides a stable AC source during less than optimal power conditions without constant use of internal batteries.
- **Slim-line Profile** Provides users with the ability to install the Entrust UPS in a variety of settings (rack shelf, floor, desktop, etc.).
- **RoHS Compliant**–Compliant with European Economic Unions directive on the reduction of hazardous substances (RoHS) in electronic equipment.
- SentryPlus[™] Software SentryPlus auto-shutdown and monitoring software is included with every unit. No special downloads or coupons are required.
- Larger Load Capacities Para Systems has increased the capacities of all models in the Entrust UPS line, allowing the units to support larger power requirements.

Applications

- Desktop/laptop workstations
- Small business phone systems
- VoIP handsets
- Network devices

Minuteman[®] Entrust Series Line Interactive UPS Specifications

Specifications	ETR500	ETR700	ETR750	ETR1000	ETR1500	
Maximum load (VA/Watts)	500VA/300W	700VA/420W	750VA/420W	1000VA/600W	1500VA/900W	
Battery rating	(1) 12V/5AH	(1) 12V/7AH	(1) 12V/9AH	BM0040	BM0041	
Unit weight (lbs.)	13.23 lb (6.0kg)	15.44 lb (7.0kg)	15.44 lb (7.0kg)	28.89 lb(13.1kg)	29.33 lb (13.3kg)	
Input capacity	8 Amps	10	Amps	12 A	mps	
Unit dimensions (H x W x D) 10.		10.8 x 3.43 x 10.9 in	3 x 3.43 x 10.9 in 10.8 x 3.43 x 16.4 in			
		274.4 x 87 x 277.2 mm) General Specific		(274.4 x 87 x	(412.5 mm)	
Topology				teractive simulated si		
Warranty		Single boost/buck line interactive, simulated sine wave (USA and Canada only) 3-year limited warranty, Platinum Protection Plan				
			2-year wa	rranty on battery		
		AC INPUT				
Number of phases		Single (2W + G)				
Input voltage (Acceptable input voltage)		`	120VAC (0 - 160VAC)			
Input voltage range (Normal mode)			90 - 150VAC			
DC start capability			Yes, (defaults to 60Hz)			
Power cord			NEMA 5-15P on a 6-ft. power cord 320 Joules			
Surge energy rating						
Let through			5%, 6kV ring wave ANSI C62.41-1991 Cat 3 0 ns normal mode, < 5 ns common mode			
Response time AC leakage current		<1 mA				
AC leakage colleni		AC OUTPUT (NORMA	Mont)			
Load power factor			l Mobej			
Output frequency		Same as Input				
Short circuit protection			Re-settable circuit breaker and electronically limited			
Overload capability			110% - 5 minutes ≥120% - immediate shutdown			
Output voltage regulation			120VAC: -12.5% to +8.4%			
Waveform Boost mode voltage(Buck mode voltage)			Same as Input Nominal +16% (Nominal -14%)			
Line mode voltage range			105 - 130VAC			
Efficiency			Normal mode > 90%			
		AC OUTPUT (BATTER)				
Output voltage		Nominal 120VAC	Nominal 120VAC			
Waveform			Stepped sine wave (simulated sine wave)			
Battery mode voltage regulation			Nominal ± 6% until LBW			
Transfer time		6-10 ms				
Output frequency & regulation			50/60Hz ± 0.5Hz (Unless synchronized to utility)			
Battery runtime (full load/half load)			≥ 2 minutes / ≥ 9 minutes			
Short circuit protection		Active electroni	c (current limit)			
Replacement		Batteries Hot swappable				
Recharge time			8 hours to 90% after full load discharge			
		Environment	-			
Operating temperature		32°F to 104°F (up	32°F to 104°F (up to 5,000 ft above sea level) (0°C to +40°C (up to 1,500 meters above sea level)			
Operating elevation		32°F to 95°F (5,00	32°F to 95°F (5,001-10,000 ft above sea level (0°C to			
Storage temperature/ Relative humidity			+35°C (1,501` to 3,000 meters above sea leve))) 5°F to 113°F (-15°C to +45°C) / 0 - 95% non-condensing			
			,			
Line protection (data/phone)						
Outlets		·	Single line input/output (RJ-45/RJ-11) 4 - surge only outlets 4 - battery & surge with (2) transformer blocks			
Monitoring software			Includes SentryPlus software			
Communications		USB				
Safety and environment			UL1778, CUL (CSA 22.1), CE, FCC Class B RoHS			



Para Systems, Inc./Minuteman UPS 1455 LeMay Drive Carrollton, TX 75007 U.S.A. Phone 800.238.7272 +1 972.446.7363 Fax +1 972.446.9011





© Copyright 2007, Para Systems, Inc. Product specifications are subject to change without notice. Minuteman and Minuteman Platinum Protection Plan are registered trademarks and Entrust and SentryPlus are trademarks of Para Systems, Inc.

www.minutemanups.com • www.sizemyups.com • www.sizemypdu.com • www.comparemyups.com



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert 866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

www.LegacyGlobal.com

Some brands we carry







Honeywell













