



PUT NEXT GENERATION HANDS-FREE SCANNING AT YOUR WORKERS FINGERTIPS

RS419 Ring Scanner

Improve productivity and task accuracy with hands-free scanning. Whether your workers spend their days moving products through your warehouse or retail store, or moving packages through distribution centers and onto trucks for delivery, every time they need to set an item down to check a paper work order or scan a bar code with a handheld device, their productivity decreases. But when you add a ring scanner worn on a finger to Motorola Solutions' WT4XXX wearable mobile computers, you free your workers to keep their hands and eyes on the items they are handling. Worker productivity increases. And a split-second press of the RS419 trigger also verifies task accuracy and provides the real-time inventory information you need to maintain stocking levels and reduce out-of-stocks.

SUPERIOR SCANNING PERFORMANCE

Innovative scanning technology allows workers to get more done in a day. Our patented Adaptive Scanning technology automatically toggles between a wide and narrow scan angle until a bar code is detected, so users can zoom in on bar codes as far as 15 ft./4.5 m and zoom out to capture bar codes at near contact — the widest working range in this device class. Two scanning modes allow workers to either pull the trigger once to scan a single bar code, or keep the trigger depressed to continuously scan bar codes. Bar codes can be captured first time, every time, even if they are damaged or poorly printed — and regardless of whether workers are out in the bright sunlight on a loading dock or in a dimly lit corner of a warehouse.

BUILT FOR TOUGH ENVIRONMENTS

A long list of features deliver around-the-clock dependable operation. The patented Liquid Polymer scan element has a lifetime warranty — it is frictionless and won't wear out. The RS419 is built to survive everyday drops and bumps. Reinforced abrasion resistance in the most vulnerable areas helps keep it looking new, in spite of regular contact with boxes and more. Special reinforcing beads on both ends of the connecting cable prevent cable failure due to constant bending and pulling. The trigger can be pressed over a million times without wearing out. And with a sealing around sensitive electronics plus a broad temperature range, you can use the RS419 practically anywhere — in the freezer, on a loading dock on a hot summer day, in dusty areas and more.

FEATURES

Hands-free scanning

Ring scanner design leaves hands free to move packages and other materials, improving worker productivity and operational efficiency

Wide working range

Patented Adaptive Scanning technology enables scanning from near contact to 15 ft./ 4.5 m for increased worker productivity

Superior scanning performance

Fast and accurate capture of even damaged and poorly printed bar codes

Patented liquid polymer scan element with lifetime warranty

Eliminates friction and wear for superior durability and reliability

Bright scan line

Enables first-time capture of bar codes in different lighting conditions

FULL SHIFT POWER

The integrated SE965 scan engine draws very little power from its host device, ensuring that the mobile computer it is connected to can still operate for a full shift on a single charge. Productivity is protected users won't need to hunt for a spare battery during a shift. And you can add world class scanning to your mobile solution without spending more money on a larger battery pool — there is no need to purchase and manage additional batteries for the host device.

ALL DAY COMFORT FOR ANY SIZE HAND

Motorola Solutions' award winning industrial design team gave the RS419 the ergonomics needed for all day comfort — regardless of hand size, whether hands are bare or gloved and whether workers are right or left handed. The swivel feature allows users to switch

between right and left hands in seconds there is no need to remove and re-thread the strap to change hands. The finger strap is isolated from the scanner so it can be easily removed, allowing you to give each operator their own personal finger strap, improving hygiene and protecting worker health by minimizing the spread of germs.

SERVICE WITH A DIFFERENCE

Motorola Solutions offers Service from the Start with Comprehensive Coverage to protect your investment and your total cost of ownership. This unique offering covers normal wear and tear as well as accidental damage — no matter what happens, you're covered. Unforeseen repair expenses are greatly reduced and uptime is maximized, maximizing the value of the RS419 in your business.

Put the RS419 on the fingers of your workers to improve productivity and accuracy. To find out how, visit www.motorolasolutions.com/RS419 or access our global contact directory at www.motorolasolutions.com/contactus

SPECIFICATIONS

PHYSICAL A	ND E	NVIRO	NME	NTAL (CHAR	ACTER	ISTIC	S	
Dimensions			1.9 in. H x 1.4 in. W x 1.9 in. D 4.8 cm H x 3.6 cm W x 4.8 cm D						
Weight			2.0 oz./56.7 gm						
Current			92 mA typical/121 mA max (one LED on)						
Standby Current			12 μA typical/60 μA max						
Voltage			3.1 VDC to 3.6 VDC						
PERFORMANCE CHARACTERISTICS									
Light Source			650nm LASER 1.7mW peak power						
Scan Rate	92 min., 104 typical, 116 max. scans/sec (bidirectional)								
Nominal Working Distance									
Density	5 mil	7.5 mil	10 mil	13 mil	15 mil	20 mil	55 mil	100 mil	
71		C39		UPC		C39		C39*	
Far guaranteed									
Far typical	7.7"	18.5"	19.0"	27.0"	29.5"	52.0"	100.0"	200.0"	
Yaw ¹		± 4	0° fron	n norma	al				
Roll ²	H^2 ± 35° from vertical								
Pitch ³	± 65° from normal								

-22° to 140° F/-30° to 60° C				
-22° to 140° F/-30° to 60° C				
-22° to 140° F/-30° to 60° C				
-25° to 160° F/-40° to 70° C				
5% to 95% non-condensing				
Indoor – 450 ft. candles (4,844 lux) Outdoor – 10,000 ft. candles (107,640 lux)				
Multiple 4 ft./1.2 m drops to concrete from -4° to 122° F/-20° to 50° C; multiple 3 ft./0.9 m drops to concrete at -22° F/-30° C				
IP54				
Certified to CSA C22.2 No. 60950-1, EN60950-1, IEC 60950-1				
FCC Part 15 Class B, ICES-003 Class B, EN 61000-3-2, EN 61000-3-3, CISPR 22 Class B, CISPR 24				
IEC/Class 2/FDA II in accordance with IEC60825-1: (Ed 2.0)/EN 60825-1:2007				

- 1 Roll (Tilt): Controlled by rotating the wrist clockwise or counterclockwise
- 2 Pitch: Controlled by dropping or raising the wrist
- 3 Skew (Yaw): Controlled by rotating the wrist from left to right or vice versa

Die cast zinc scan engine chassis, single board construction and scan engine isolation

Provides superior impact protection for the scan engine

Cable wear beads

Protects the areas of the cable most vulnerable to wear and tear

Supports Reduced Space Symbology (RSS)

Broad range of scanning capabilities increases investment protection

Swivel feature

Enables easy switching from right to left hand use

Separate finger strap assembly

Improves hygiene and personalization; easy to replace

Superior trigger ergonomics

Accommodates wide range of gloved or ungloved hand sizes; large accessible trigger makes it easier to use over long periods

Oversize LED light

Enables users to quickly and easily confirm completion of a scan

RoHS compliant

Meets RoHS requirements

Part number: SS-RS419. Printed in USA 05/12. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2012 Motorola Solutions, Inc. All rights reserved.



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















