

C37
Barcode CCD scanner

**RS232** 

**Keyboard Wedge** 





### **Operating indicators**

- Visual: 1 LED (red/green/orange)
- · Non-visual: Buzzer

## Operating keys

· Entry options: 1 scan key

#### Communication

- RS232: DB9 PTF connector with external power
- · Keyboard Wedge: MiniDIN6 F/M connector
- · USB: Ver. 1.1, HID/VCP, USB-A connector

#### Power

• Voltage requirement: 5V ± 10% (Keyboard Wedge and USB), 6V (min. 4.5, max. 6.6V) (RS232)

### **Barcode scanner Optics**

- · Light source: 630 nm red LED
- Scan method: CCD linear Sensor 2500 Pixels
- · Scan rate: 200 scans/sec
- · Trigger mode: Manual, auto-trigger
- Reading pitch angle: -30 to 0°, 0 to +30°
- Reading skew angle: -70 to -20°, 20 to +70°
- Reading tilt angle: -25 to 0°, 0 to +25°
- Curvature: R>15 mm (EAN8), R>20 mm (EAN13)
- Min. resolution at PCS 0.9: 0.125 mm / 5 mil
- · Depth of field: At PCS 0.9, Code 39 0 - 15 mm / 0 - 0.59 in

## **Supported Symbologies**

- · Barcode (1D): JAN/UPC/EAN incl. add on, Codabar/ NW-7, Code 11, Code 39, Code 93, Code 128, GS1-128 (EAN-128), GS1 DataBar (RSS), IATA, Industrial 2of5, Interleaved 2of5, ISBN-ISSM-ISSN, Matrix 2of5, MSI/ Plessey, S-Code, Telepen, Tri-Optic, UK/Plessey
- · Postal code: Chinese Post, Korean Postal Authority code

### **Durability**

- Temperature in operation: 0 to 50 °C / 32 to 122 °F
- Temperature in storage: -20 to 60 °C / -14 to 140 °F
- Humidity in operation: 5 95% (non-condensing)
- Humidity in storage: 5 95% (non-condensing)
- · Ambient light immunity: Fluoresecent 10,000 lx max, Incandescent 10,000 lx max
- Drop test: 1.5 m / 5 ft drop onto concrete surface
- Vibration test: 10 100 Hz with 2G for 1 hour
- Protection rate: IP 42

### **Physical**

- Dimensions (w x h x d): 75 x 150 x 53 mm / 2.95 x 5.91 x 2.09 in
- Weight body: Ca. 90 g / 3.2 oz (excl. cable)
- · Case: ABS, Black, White

### Regulatory & Safety

· Product compliance: CE, FCC, VCCI, RoHS

#### **Enclosed items**

• Power supply 100-240V/0.5A, 50/60 Hz, 6V/2A (for

### **Models**

- Interface versions: RS232, Keyboard Wedge, USB
- · Color versions: Black, White

Copyright Opticon. All rights reserved. This information is subject to change without prior notice. For availability, contact your local representative.

- The Netherlands: Hoofddorp
- France: Issy Les MoulineauxGermany: Dietzenbach
- Italy: Castel Maggiore (BO)Spain: Valencia
- Sweden: Järfälla
- United Kingdom: Luton, Bedfordshire
- Japan: Warabi City
- Taiwan: Taipei - P.R.China: Shanghai - Australia: Kariong
- Brazil: São Paulo

Opticon Sensors Europe B.V European headquarters Opaallaan 35 2132 XV Hoofddorp The Netherlands phone: +31 (0)23-5692700 fax: +31 (0)23-5638266 email: sales@opticon.com internet: www.opticon.com



# **Legacy Technology Services**

# We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert

866-271-9891

# About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

# Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

# **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

## Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

## Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

# **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















