



# **⊆∨** Impact

# Impact Receipt Printer

The EVO Impact high-speed receipt printer is built to last. Perfect for extreme environments such as kitchens, the EVO Impact delivers the steadfast performance expected from a best-of-breed impact printer. Featuring 5 lines per second printing, drop-in paper loading, swappable interfaces (USB, Parallel, Serial and Ethernet), and the cable in every box.



#### **Key Features**

- Multiple interfaces: USB, Parallel, Serial, Ethernet
- 5 lines per second print speed
- ESC/POS and OPOS compatible
- Swappable interface cards
- Interface cable included
- 3-year warranty including 2-day Advance Exchange service

## **EVO Impact Receipt Printer Specifications**

| PART NUMBER              | EVO-PK2-1AP  | EVO-PK2-1BP | EVO-PK2-1AS    | EVO-PK2-1BS | EVO-PK2-1AU  | EVO-PK2-1BU | EVO-PK2-1AE     | EVO-PK2-1BE |
|--------------------------|--|-------------|----------------|-------------|--------------|-------------|-----------------|-------------|
| SPECIFICATIONS           | 270 1112 1711  | 270 772 701 | 27077127710    | 2707712700  | 270 7762 776 | 210112100   | 270 772 772     | 210112132   |
| Interfaces               | Parallel IEI   | Serial F    | Serial RS-232C |             | USB 2.0      |             | Ethernet 10/100 |             |
| Emulation                | Epson /Citizen /Star   |             |                |             |              |             |                 |             |
| Print Method             | 9-pin Serial Dot Matrix  |             |                |             |              |             |                 |             |
| Printing Speed           | 5 lines/sec  |             |                |             |              |             |                 |             |
| Number of Total Dots     | 400 Dots/line  |             |                |             |              |             |                 |             |
| Resolution               | 160 DPI/ 80 DPI  |             |                |             |              |             |                 |             |
| Printing Direction       | Bi-directional with logical seeking  |             |                |             |              |             |                 |             |
| Effective Printing Width | 2.5"   |             |                |             |              |             |                 |             |
| Font Size                | 7x9 9x9  |             |                |             |              |             |                 |             |
| CASH DRAWER PORTS        | 2 Circuits (24 V, 1 A max)   |             |                |             |              |             |                 |             |
| RELIABILITY              |  |             |                |             |              |             |                 |             |
| MCBF                     | 18,000,000 Lines   |             |                |             |              |             |                 |             |
| Printhead                | 120 Million Characters   |             |                |             |              |             |                 |             |
| PAPER                    |  |             |                |             |              |             |                 |             |
| Туре                     | Roll Paper   |             |                |             |              |             |                 |             |
| Width                    | 3" (76.2 mm)   |             |                |             |              |             |                 |             |
| Roll Diameter            | 3" (76.2 mm)   |             |                |             |              |             |                 |             |
| Copies                   | Original + 2 Copies  |             |                |             |              |             |                 |             |
| NUMBER OF COLUMNS        | Epson TM-U200 Emulation 42/35, 40/33 Other Emulation 40/33                                   |             |                |             |              |             |                 |             |
| INK RIBBON               | EPSON ERC-38 Black, Purple, Black/Red  |             |                |             |              |             |                 |             |
| AUTO CUTTER              |  |             |                |             |              |             |                 |             |
| Туре                     | Guillotine   | Tear Bar    | Guillotine     | Tear Bar    | Guillotine   | Tear Bar    | Guillotine      | Tear Bar    |
| Cutting Method           | Full/Partial Cut   | n/a         | Full/Partial   | n/a         | Full/Partial | n/a         | Full/Partial    | n/a         |
| Auto Cutter Life         | 1,500,000 Cuts   |             |                |             |              |             |                 |             |
| Paper Thickness          | 0.002" (0.065 mm) - 0.005"(0.13 mm)  |             |                |             |              |             |                 |             |
| PHYSICAL                 |  |             |                |             |              |             |                 |             |
| Dimension                | 6.14"(w) x 9.57"(D) x 5.91"(H)   |             |                |             |              |             |                 |             |
| Weight                   | 5.4 lbs  |             |                |             |              |             |                 |             |
| Color                    | Black  |             |                |             |              |             |                 |             |
| ELECTRICAL               | (input)120–230 VAC 60 Hz (output) 24 VDC/1.5 A   |             |                |             |              |             |                 |             |
| ENVIROMENTAL             |  |             |                |             |              |             |                 |             |
| Temperature              | 41°F to 104°F operating -4°F to 140°F storage  |             |                |             |              |             |                 |             |
| Humidity                 | 35%-80% non condensing (operation) 10%-90% non condensing (storage)                          |             |                |             |              |             |                 |             |
| WARRANTY                 | 3-Year includes 2-Day Advance Exchange Warranty Service, 2-Year on Autocutter and Print Head |             |                |             |              |             |                 |             |
| CERTIFICATIONS           | FCC, MIC, UL, CE, CCC, RoHs(TUV)   |             |                |             |              |             |                 |             |
| OPERATING SYSTEM         | WIN 95/WIN 98/WIN 2000/WIN XP/VISTA/Win 7/Win 8/OPOS driver available                        |             |                |             |              |             |                 |             |



| ACCESSORIES |  |  |  |
|-------------|--|--|--|
| 1CARDP      | Parallel Interface Card for EVO Impact |  |  |
| 1CARDS      | Serial Interface Card for EVO Impact   |  |  |
| 1CARDE      | Ethernet Interface Card for EVO Impact |  |  |
| 1CARDU      | USB Interface Card for EVO Impact      |  |  |
| ZOE-CRW3    | 3-Year Overnight Exchange              |  |  |
| ZOE-CRW5    | 5-Year Overnight Exchange              |  |  |

POS-X, Inc. 1975 Midway Lane Suite O Bellingham, WA 98226 www.pos-x.com sales@pos-x.com tel 1.800.790.8657 fax 360.738.3495

# **Legacy Technology Services**

### We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert

866-271-9891

#### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

#### Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

#### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

#### Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

#### **Trade-in and Disposal services**

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

#### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















