

PARTNER

CARE . TRUST . RESPONSIBILITY

Touch Terminal SP-600 Brings power into POS



The SP-600 from Partner Tech is a high performance smart POS system designed to meet the needs of today's increasing demand of resources and performance of POS applications. The fanless 1.86 GHz dual-core Atom processor, with up to 4GB of RAM, is embedded in an elegant touch screen unit that provides some of the most advanced and cost effective functions.

A wide variety of modules can be connected for different applications including RFID reader, MSR, fingerprint reader, IC card reader and mini PCI-e slot.

A compact form ensures that the SP-600 uses the minimum counter space. It's wide tilt angle and industry standard VESA mount offer highly flexible mounting options.

Special Features

- Powerful 1.86GHz dual core processor
- DDR 3 memory supports up to 4GB
- Flexible modular design and dual display
- Convenient wall mount and wide tilt angle
- Splash and dust resistant front bezel, IP66
- Engineered for Reliability with fanless design

Optional

- 3-track MSR
- Customer display module (2x20 VFD)
- Biometric reader, Smart Card reader, I-Button, RFID reader
- 2nd monitor (CD-70, PM-116)
- IO-cover

Touch Terminal SP-600

Technical data

Item	SP-600
CPU	Intel®Atom™ Processor D2550 (1M L2 Cache, 1.86 GHz, Dual core)
Chipset	NM10
LCD	15" LCD, resolution 1024 x 768 5-wire resistive touch screen
Memory	Maximum 4 GB (DDR 3)
Ethernet	Onboard 10/100/1000 BASE-T Gigabit Ethernet
Storage	Internal 2.5" type SATA HDD x 1 in base/wall mount (option)
External I/O Interface	3 x COM ports (COM 1~2 powered with DC+0/5/12V, BIOS selection; COM3 by jumper setting) 4 x external USB 1 x DB-15 VGA port 1 x RJ11 port supports 2 cash drawer (DC+24v) 1 x RJ-45 LAN port with activity and link LEDs 1 x DC+12v out 1 x Mini PCI-e Audio chip on board with 1W speaker
Expansion Options	1 x DC + 12V input power-jack
Optional Peripherals	3 tracks magnetic reader Customer display module (2 x 20 VFD) Biometric reader, Smart Card reader I-Button, RFID reader
Operation System	Windows 7, Linux (ubuntu, Fedora), POSReady 7
Power Supply	AC 100 ~240/DC 12V, External 90 W adaptor, plain base cover
Physical Dimensions	360 mm (W) x 233 mm (D) x 323 mm (H)
Operating Temp	0°C ~ +40°C



Flexible Modular Design and Dual Display Support



Powerful Processor



Convenient Wall Mount and Wide Tilt Angle



Engineered for Reliability



Splash and Dust Resistant Front Panel



Green Low Power Consumption



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684