


HS2310

KEY FEATURES

- Compact all-in-one terminal with integrated 10" display, printer, MSR and WiFi
- 60% smaller than a typical POS terminal/peripheral solution*
- Dual Core Intel® Atom™ D525 1.8GHz with 1MB Smart Cache
- Built-in 3" thermal printer, 200mm/sec print speed
- Built-in 3 Track MSR (encryption capable)
- 10" TFT LCD display with precision-edge projected capacitive touch
- Built-in WiFi
- Simplified cable management
- Ports: 5 x USB, 3 x Serial (2 x DB9 + 1 x RJ50), 1 x CR which controls 2 devices, 1 x LAN, PS/2 & Parallel
- Options: Fingerprint sensor, 2 x 20 VFD customer displays, LED LCD secondary monitors and solid state drives



About Posiflex

- Designer and manufacturer of Point-of-Service and industrial touch terminals
- Revolutionary technology, reliable quality, reasonable pricing and recognized service
- Delivers reliable terminals for maximum uptime and lower total cost of ownership
- Comprehensive suite of peripherals and services
- Innovative excellence since 1984 with more than 30 patents for innovation
- Global presence
- Two ISO 9001/9002/14001 Certified Facilities

Compact All-in-One Solution

Integrated Display, MSR, Printer

The HS2310 is an all-in-one terminal solution, which allows every inch of valuable counter space to be used. The HS2310 is ideal for small or medium sized retail and hospitality POS, or a self service kiosk. With a footprint of a standard receipt printer, the HS2310 integrates a 10" projected capacitive touch screen terminal with a powerful Dual Core Intel® Atom™ D525 1.8GHz CPU, a 3" printer, MSR, and included WiFi. Options available include a solid state drive, smart card reader, fingerprint sensor and secondary customer displays.

* Footprint size based on comparison with Posiflex KS7215 terminal with separate printer.

Specifications

HS2310

Processor	Dual Core Intel® Atom™ D525 1.8GHz 1MB Smart Cache
System Memory	2GB Standard / 4GB Maximum
Storage Device	2.5" 320GB HDD
Touch Screen	10" Projected Capacitive touch panel
Built-in Printer	3" thermal printer with auto cutter, 200mm/sec print speed
Built-in MSR	3-track module (encryption capable)
Built-in WiFi	Internal mini-PCIe WiFi module with PIFA antenna
Power Supply	12V DC power, 120W
Supported OS	POS Ready 7 32 bit / Win 7 32 or 64 bit / Win Emb 8.1 IND 64 bit
Color	Black

Physical Dimensions

Dimensions (WxDxH) in.	8.8 x 7.3 x 15.2
Display	9.7" TFT LCD, 1024x768
Weight (lbs)	9.3

Connectivity

LAN Port	10 / 100 / 1000 Mb x 1
Serial Port	DB9 (2), RJ50 (1) with 5V/12V support on COM1 / COM2 / COM3, RJ-50 to DB9 cable optional
Parallel Port	Yes
Standard USB Port	5
Audio Port	Line out
PS/2 Port	Yes
VGA Port	D-SUB, 15 pins, with 12V power for Posiflex LCD Monitor
CR Port	1 (controls 2 devices)

Environment

Operation Condition	Equipped with HDD: 32°F to 104°F, 20%RH to 90%RH Equipped with SSD: 32°F to 122°F, 20%RH to 90%RH
Storage Condition	(-4°F) to 158°F, 10%RH - 90%RH

Options

Part Number	Description
Call	SSD 64GB and higher
FP200	Finger Print Sensor URU 4500 Biometrics
LM3010D000	9.7" LED LCD Secondary Display
PD2607UE	2 x 20 VFD, rear-mount, USB with Virtual COM support
CR3100	Cash Drawer with adjustable coin slot
CR6300	Cash Drawer with fixed coin slot

** The product information and specifications are subject to change without prior notice.

Secondary Displays



PD2607
2x20 VFD
Customer Display



LM3010
9.7" LED LCD
Secondary Display



Posiflex designs, engineers and manufactures:

Touch Screen Terminals | **Printers** | **Magnetic Stripe Readers** | **Cash Drawers** | **Rear/Pole Displays**

Available Services

- **Standard and Extended Warranty**
Extend your depot warranty up to 5 years.
- **Advance Exchange**
We ship overnight replacement equipment directly to your business. You return the faulty unit to Posiflex.
- **OnSite Service**
Expert technicians will efficiently handle the complete equipment swap and return process.
- **Regional Repair Depots**
Three regional depots assure fast turn-around time on repairs.
- **Post Warranty Support**
Spare parts, in addition to a flat rate repair program, for post warranty needs.
- **Installation Services**
Let our nationwide network of experts stage and install your equipment.
- **OEM Design and Integration**
Our Product Development Team helps design equipment, for custom hardware applications.



HS2310 Information

POSIFLEX™

Posiflex Business Machines, Inc.
30689 Huntwood Ave.
Hayward, CA 94544
P: 888-968-1668
F: 510-475-0982
sales.department@posiflexusa.com

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684