



CP-2140Z 203 dpi



Desktop Barcode Printer | Compact Printer Series



Trusted Dependability, Quality Assured, Exceptional Value

STREAMLINED FEATURES

- 300 Meter Ribbon Supply (CSI/CSO)
- Competitive Emulations
- Compact Size
- Easy Media and Ribbon Loading
- Auto-Calibration Sensor

INDUSTRY VERTICALS

- Healthcare
- Retail
- Transportation & Logistics
- Tradeshow Management
- Education & Libraries
- Manufacturing

INDUSTRY APPLICATIONS

- Specimen Labeling
- Shelf Labeling
- Product Labeling
- Show Badges
- Shipping/Receiving
- Price Marking
- Asset Tracking

| | | |
|----------------------------------|-------------------|---|
| PRINTER MODEL | | CP-2140Z |
| PRINT SPECIFICATIONS | | |
| Printing Method | | Direct Thermal/Thermal Transfer |
| Print Resolution | | 203 dpi (8 dots/mm) |
| Printing Speed | | Up to 4 ips (102mm/s) |
| Max. Print Area | | 4.1" (104mm) W x 100" (2540mm) L |
| MEDIA SPECIFICATIONS | | |
| Sensor Type | | Gap & I-mark |
| Media Type | | Roll and Fanfold |
| Media Size | Width | 1" to 4.33" (25.4mm to 110mm) |
| | Thickness | 0.0025"-0.01" (0.0635-0.254mm) |
| | Roll Specs | Max O.D.: 5" (127mm) / I.D.: 1" (25.4mm) |
| Ribbon (TT only) | | Width: 1"-4", Max O.D.: 2.6" (67mm), Paper Core: 1" (25.4mm) CSI/CSO, Max 300m |
| FONT / SYMBOLOGIES | | |
| Internal Fonts | | 5 alpha-numeric fonts from 0.049"-0.23" H (1.25mm-6.0mm), expandable up to 24x24 |
| Barcode Symbologies | Linear | PPLZ: Code 39, UPC-A, UPC-E, Postnet, Code128 subset A/B/C, Interleaved 2 of 5, Interleaved 2 of 5 with checksum, Interleaved 2 of 5 with human readable check digit, Code 93, Code 39 with checksum digit, EAN-8, Codabar, EAN-13, Plessey, GS1 Data bar |
| | 2-D | PPLZ: MaxiCode, PDF417, Data Matrix, QR code, Composite codes |
| COMMUNICATION INTERFACE | | |
| Interface Options | | Parallel, RS-232, USB |
| MEMORY | | |
| Memory | | Flash ROM: 4MB, RAM: 8MB |
| OPERATING CHARACTERISTICS | | |
| Power Requirements | | AC Adapter Input Voltage: 100V~240V, Frequency: 50/60Hz, Output Voltage: 24VDC, 2.4A |
| Environment | Operating | 40°~100°F (4°~38°C) / 10%~90% non-condensing |
| | Storage | -4°~122°F (-20°~50°C) |
| Regulatory Approvals | | CE, FCC, cTUVus, CCC, RoHS |
| Dimensions | | 8.85" (225mm) W x 10.75" (273mm) D x 7.32" (186mm) H |
| Weight | | 4.63 lbs (2.1Kg) |
| OPTIONS | | |
| Printer Languages | | PPLZ |
| Optional Accessories | | Cutter, Media Roll Unwind, RTC Card |
| Other Features | | Printer Utility, Font Utility, Windows Driver |

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684