



# MODEL D750 DURASCAN

#### Ergonomic, Elegant and Rugged

Built for harsh environments in warehouse, distribution and industrial manufacturing. Stylish enough to be showcased in boutique retail environments.

The DuraScan Model D750 barcode scanner features great ergonomics fitting perfectly in your hand for comfortable and extended use. Light and small enough to fit in your pocket.

Designed for mobility and wireless scanning with Bluetooth® connection up to 330 ft (100 m).









Certified by Apple® for iOS devices (iPad®, iPhone®, iTouch®) and compatible with Android and Windows®.





### **Features and Benefits**

- Scanning Fast 2D & 1D omni-directional barcode scanning with highly visible and safe LED aimer
- Exceptional ergonomics Small, light and fits perfectly in the hand for comfortable use over extended periods of time
- Long lasting battery Power to last for two 8 hour shifts
- User feedback Intuitive LED indicators let users know battery, Bluetooth connection and scanning status at a glance
- Rugged Design Protection rating of IP54 for dust and water splashing protection. Withstands multiple drops to concrete and repeated tumbles.
- **Protective Material** Made with antimicrobial additives to help protect against harmful bacteria.
- Basic Mode (default) No software installation required when using the scanner in Bluetooth HID mode
- Application Mode Improves business productivity with faster, efficient and reliable data transfer over Bluetooth. Leverage Application Mode functionality by integrating Socket Mobile's SDK in your app.
- Wireless (Bluetooth) scanning for iOS, Android and Windows mobile devices.
- Wireless Freedom long-range Bluetooth connection of 330 feet (100m)
- Wearable Includes lanyard/ belt clip for convenient access wherever you go
- Designed and made in the USA

### SCANNING PERFORMANCE

Supported Barcode

1D Symbologies:

Symbologies:

EAN/UPC, GS1 Databar (limited expanded & omni-directional), Code 39, Code 128, UCC/EAN 128, ISBN, ISBT, Interleaved/Matrix/Industrial and Standard 2 of 5, Codabar, Code 93/93i, Code 11, MSI, Plessey, Telepen, postal codes (Australian Post, BPO, Canada Post, Dutch Post, Japan Post, PostNet, Sweden Post)

2D Symbologies:

Data Matrix, PDF417, Micro PDF 417, Codablock, Maxicode, QR, Aztec, HAN XIN

Scan Angle:

39° (Horizontal) - 25.5° (Vertical)


Optical Resolution:

752 (H) x 480 (V) pixels, 256 gray levels

Print Contrast:

Down to 30%

Reading Distance:



1D codes 6 to 93.6 cm (2.36 in to 36.85 in) 2D codes 5.0 to 40 cm (1.97 in to 15.75 in)

Depends on symbol size, symbology, label media, W-N ratio scan angle.

# **SCANNER** TYPE

Technology: 2D/1D Barcode Imager with highly visible LED aimer

Light Source: Highly Visible white LED.

Aimer: 617 nm Red LED

### **BATTERY**

Battery: 1400 mAh Lithium - Ion Battery

Charge Time: 6 Hours

Battery Life - Standby time: over 30 hours

Per Full Charge: Active Scan Time: 70,000 scans within 9 hours (based on 2 scans every 1 second) or 14,000 scans within

16 hours (calculation based on 1 scan every 4 seconds)

Note: Battery life varies depending on ambient temperature, ambient light, and age of battery.

### BLUETOOTH (WIRELESS CONNECTION)

Bluetooth Radio: Class 1 Bluetooth, version 2.1 + EDR (Enhanced Data Rates) with 56-bit data encryption

Bluetooth Range: Up to 100 m (330 ft.) depending on environment, range limit is usually due to the Host Device (phone,

tablet or notebook)

Bluetooth Profiles: Basic Mode - Human Interface Device (HID)\*, Application Mode - Serial Port Profile (SPP) and Application

Mode - MFi-SPP. Some Operating Systems or smartphone/tablet models may support only one profile.

\*By default, the scanner is set to Basic Mode (HID).

# PHYSICAL CHARACTERISTICS

Dimensions: 5.2 (L) x 1.5 (W) x 1.6 (H) in (132.2x 37.1 x 40.1 mm)

Weight/Mass: 3.8 oz. (108g)

Scan LED: Green and Red LEDs:

Bluetooth LED: Blue

Battery LED: Green, Amber & Red

**Buttons:** Trigger Button: Scan

Power Button: On/Off (enabled on-screen keyboard)

## **USER ENVIRONMENT**

Ambient Light: From 0 to 100 000 lux

From pitch black to direct sun light

-20° to 50° C (-4° to 122° F) Operating

Temperature:

-40° to 70° C (-40° to 158° F) Storage Temperature:

95% at 60° C (140° F) (non-condensing), 4 days Relative Humidity:

Sealing: IP54 (Ingress Protection rating for dust and water) EN60529

**Drop Specifications:** Multiple 5 ft. drops to concrete

Tumble Specification: 250 cycles at 1.64 ft. (0.5 m) (500 drops), IEC60062-2-31

# **OPERATING SYSTEM SUPPORT**

Android OS - Basic Mode (HID)\* & Application Mode (SPP) Mac OS - Basic Mode (HID)\* only

Windows 10, 8, and 7 - Basic Mode (HID)\* & Application Mode (SPP)

Apple iOS - Basic Mode (HID)\* & Application Mode (MFi-SPP)

Linux - Basic Mode (HID)\* only Windows Mobile, Embedded Handheld - Basic Mode (HID)\* &

Application Mode (SPP)

\*By default the scanner is in Basic Mode (HID).

Certified by Apple® for iOS devices (iPad®, iPhone®, iTouch®) and compatible with Android and Windows®.

iOS









### **CERTIFICATION & REGULATORY**

Bluetooth SIG: Declaration ID: D030473 QD ID: 82009

Electrical Safety: Certified to IEC 60950-1, UL 60950-1, CAN/CSA C22.2

**Environmental:** Environmental: RoHS EN 50581

EMI / RFI: FCC Part 15 Class C, RSS 210, iCES 003, C-Tick, CISPR 22, CE EN55022, EN55024, TELEC

> FCC ID: LUBD750 IC ID: 2925A-D750

IEC 60825-1, EN 60825-1 LED Safety:





















WARRANT

Scanner: Standard one year limited warranty

Accessories: 90 days

Extended Warranty: (sold separately)

www.socketmobile.com/socketcare



Retail/Point of Sale

Office use

Shipping & Receiving

Healthcare

Mobile Tracking

Warehouse management

Shipping & Receiving

Field Sales/Service

# SKU# CX3359-1681 - PACKAGE INCLUDES

DuraScan D750 2D/1D Barcode Imager

16:

USB Type-C to USB Type-A Charging Cable



**Durable Lanyard** 



# OPTIONAL ACCESSORIES

Charging Stand SKU# AC4076-1538



\*These accessories are also compatible with Series 7 Scanners

Charging Cradle SKU# AC4102-1695



**AC Power Supplies** 



sales@socketmobile.com

oll-Free: +1 800 552 3300 (USA/Canada)

EMEA & Russia: +41 62 834 0780

UK/Ireland/South Africa: +44 7787 112109
France: +33 970 462 241

Switzerland: +41 62 834 07 80 Germany: +49 9401 5299 052 Asia Pacific: +1 510 933 3122 Latin America: +1 510 933 3153

apan: +8190 9808 0518

# **Legacy Technology Services**

# We Rent & Sell All Types Of Barcode Equipment

# Call now to talk to an expert

866-271-9891

### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

### **Latest Hardware from top manufacturers**

 Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

#### **Discontinued product sourcing**

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

#### Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com

Some brands we carry





















