





**ALPHA-4L** – Portable Direct Thermal Label Printer

# RUGGED AND RELIABLE MOBILE PRINTING DELIVERS YOUR LABELS WHEREVER YOU NEED THEM



#### **KEY FEATURES**

- TSC Designed & Manufactured
- IP54-rated protective case to resist dust and water
- Plastic design with rubber over-mold construction that withstands 1.5 m (5 ft) drop and endures 1.8 m (6 ft) drop with its protective case
- Ready for EPL, ZPL, or CPCL environments, TSC Droid APP & SDK, WinCE Quick-link tool & SDK, iOS SDK
- Wired & wireless communication interfaces: USB 2.0, RS-232, Bluetooth, and 802.11 b/g/n
- High capacity 5800 mAh rechargeable Li-ion batteries
- Large paper capacity to reduce the frequency of changing paper roll
- Linerless ready
- High-speed processor and extensive memory for fast print speeds of up to 102 mm (4") per second
- 2-Year Warranty is best in the industry

#### **APPLICATIONS**

- Portable point of sale
- Retail item marking, markdowns, shelf labeling & shelf talkers
- Labels for shipping & receiving
- Inventory control
- Cross-docking
- Pick, pack & apply operations
- Print pick tickets
- Logistics receipts

### **ALPHA-4L** – Portable Direct Thermal Label Printer

PRINTER MODEL	Alpha-4L
Resolution	8 dots/mm (203 DPI)
Printing method	Direct Thermal
Max. print speed	102 mm (4")/second 2, 3 ips for peeler mode
Max. print width	104 mm (4.09")
Max. print length	2,286mm (90")
Enclosure	Plastic with rubber over molded
Physical dimension	160 mm (W) x 191.6 mm (H) x 79 mm (D) 6.30" (W) x 7.54" (H) x 3.11" (D)
Weight (including battery)	1.1 kg (2.43 lbs)
Drop specification	1.5 m (5 ft)
IP rating	1.8 m (6 ft) (w/ IP54-rated protective case) IP54 (w/case)
Max. roll capacity	67.3 mm (2.65") OD
Processor	32-bit RISC CPU
Memory	16 MB Flash memory     32 MB SDRAM     microSD card reader for Flash memory expansion, up to 4 GB     USB 2.0     Bluetooth
interrace	802.11 b/g/n Wireless (factory option)     RS-232 (user option)
Power	7.2V DC, 5800 mAh Li-ion rechargeable battery
Operation switch, button	<ul> <li>2 buttons (Power, Feed) &amp; 6 LED indicators (Printer, Battery, Wireless status) - standard</li> <li>4 buttons (Power, Feed, Menu, Info) &amp; 2 LED indicators (Power, Error) &amp; 2" LCD display, 128 x 64 pixel w/backlight - factory option</li> </ul>
Sensors	Black mark reflective sensor     Transmissive gap sensor     Peel sensor     Head open sensor
Real time clock	Standard
Internal fonts	8 alpha-numeric bitmap fonts     Monotype Imaging® true type font engine with one CG Triumvirate Bold Condensed scalable font
Bar code	<ul> <li>1D bar code         Code 17, Code 39, Code 93, Code 128 UCC, Code 128 subsets A.B.C, Codabar, Interleave 2 of 5, EAN-8,         EAN-13, EAN14, EAN128, UPC-A, UPC-E, EAN and UPC 2(5) digits, MSI, PLESSEY, POSTNET, China Post,         IFF14, TELPEN, PLANET, Deutsche Post Identcode, Deutsche Post Leitcode, LOGMARS</li> <li>2D bar code         Code 49, PDF-417, MicroPDF417, Maxicode, DataMatrix, QR code, Aztec, CODABLOCK F mode,         GS1 Databar</li> </ul>
Printer language	TSPL-EZ™ (Compatible to EPL, ZPL, ZPL II) or CPCL emulation
Media type	Die cut, black mark, receipt, fan-fold, linerless, continuous (outside wound)
Media width	50.8 ~ 112 mm (2.0" ~ 4.4")
Media thickness	0.055 ~ 0.165 mm (2.2 ~ 6.5 mil)
Media core diameter	12.7 ~ 25.4 mm (0.5" ~ 1")
Label length	12.7 ~ 2,286 mm (0.5" ~ 90") 25.4 ~ 152.4 mm (1" ~ 6") for peeler mode
For the contract of the last	25.4 ~ 152.4 min (1 ~ 6 ) for peeter mode  Operation: -10 ~ 50 °C (14 ~ 122 °F), 10 ~ 90% non-condensing
Environment condition	Storage: -40 ~ 60 °C (-40 ~ 140 °F), 10 ~ 90% non-condensing
Safety regulation	FCC , CE , CB , CCC, TUV, SRRC
Environmental concern	Comply with RoHS, WEEE
Accessories	Windows labeling software CD disk     Quick start guide     Belt Clip     Li-ion battery     Power adapter     *SDK for iOS (iPhone & iPad), Android 2.2 or higher, WinCE/WM 6.0/6.1pro can be downloaded from website.
Limited warranty	Printer: 2 years Print head: 25 km (1 million inches) or 12 months which comes first Platen: 50 km (2 million inches) or 12 months which comes first
Factory options	802.11 b/g/n Wireless network     2" LCD display, 128 x 64 pixel w/white LED backlight     Black mark reflective sensor position (default center, right, or left side)     Linerless kit
User options	USB to RS-232 converter cable USB cable Li-ion battery IP54-rated protective case Shoulder strap Charging station 1 cell or 4 cells (with changeable power connector) Vehicle power adapter





#### **CORPORATE HEADQUARTERS**

#### TSC Auto ID Technology Co., Ltd.

Tel: +886 2 2218 6789 E-mail: printer\_sales@tscprinters.com

#### LI ZE PLANT

#### TSC Auto ID Technology Co., Ltd.

Tel: +886 3 990 6677  $\hbox{E-mail: printer\_sales@tscprinters.com}$ 

#### TSC Auto ID Technology America Inc. Corporate Office

Tel: +1 909 525 9779

#### E-mail: sales@tscprinters.com

**Orlando Office** Tel: +1 407 704 8918

#### E-mail: sales@tscprinters.com

#### CANADA TSC Auto ID Technology America Inc.

Tel: +1 909 525 9779 E-mail: sales@tscprinters.com

#### MEXICO

#### **TSC Mexico Representative Office**

Tel: +52 (33) 3836 6682

E-mail: sales@idc-componentes.com

#### BRAZIL

### **TSC Brazil Representative Office** Tel: +55 (11) 9597 8098

E-mail: sales@tscprinters.com

#### TSC Auto ID Technology EMEA GmbH

Tel: +49 (0) 8106 37979 00 E-mail: info@tsceu.com

#### TSC Auto ID Technology EMEA GmbH

Tel: +7 915 422 8889

E-mail: info@tsceu.com

#### MIDDLE FAST

### TSC Auto ID Technology ME Ltd, FZE

Tel: +971 4 2533 069

E-mail: info@tscmea.com

#### ASIA PACIFIC

#### TSC Auto ID Technology Co., Ltd.

Tel: +886 2 2218 6789

E-mail: printer\_sales@tscprinters.com

## **Tianjin TSC Auto ID Technology Co., Ltd.** Tel: +86 22 5981 6661

E-mail: sale@tscprinters.com.cn

## **Legacy Technology Services**

## We Rent & Sell All Types Of Barcode Equipment

## Call now to talk to an expert

866-271-9891

### About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

#### Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

#### **Expert Repair and Maintenance services**

· Legacy is one of the best repair facilities in North America

#### Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

#### Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
   Legacy routinely purchases equipment from our clients around the globe.
  - · Data destruction
  - · Hardware disposal
  - Auditing services

#### Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

#### **Equipment rental services**

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















