



T O U C H S C R E E N M O N I T O R S

Quality, Reliability, and Value



17" TOUCHSCREEN

TS17R - M (pictured)



15" TOUCHSCREEN

TS15R - M (pictured)

The TRIVIEW TS15R and TS17R are engineered to become the benchmark for LCD touch screen displays. These monitors have a modern appearance with integrated features including a stable base (w/tilt), cable management, dual (Serial/USB) touch screen controller, and an optional MSR.

All of these features are offered at an extremely competitive price to increase return on investment for end users. TRIVIEW is the ideal choice for point of sale, point of service, industrial and kiosk applications.

FEATURES

- Stable Base w/tilt and Cable Management
- Elo 5-wire Resistive Touch Technology
- Dual (Serial/USB) Touch Controller
- Wall Mountable (VESA Std)
- Integrated speakers
- 3 Year Std. Warranty
- UL, CE, FCC Certified



TOUCHSCREEN LCD MONITORS

TS15R

TS17R

Display Type	15" active matrix TFT LCD panel	17" active matrix TFT LCD panel
Display Colors	16.2 M (6-bit with FRC)	16.2 M (6-bit with FRC)
Aspect Ratio	4:3	5:4
Resolution	1024 x 768 XGA	1280 x 1024 SXGA
Brightness without touch screen	250 cd/m ² typical	300 cd/m ² typical
Brightness with touch screen	200 cd/m ² typical	240 cd/m ² typical
Contrast Ratio	500 : 1	700 : 1
Response Time	8 ms	6 ms
H Frequency input Range	30Khz - 60Khz	30Khz - 80Khz
V Frequency input Range	50Hz - 75Hz	50Hz - 75Hz
Viewing Angle	L/R 130°, U/D 100° Power, Auto/Exit, Menu/Enter, Plus, Minus	L/R 160°, U/D 160° Power, Auto/Exit, Menu/Enter, Plus, Minus
Front Panel Controls	Brightness, Contrast, Auto Adjust, Phase Adjust	Brightness, Contrast, Auto Adjust, Phase Adjust
OSD Controls	Clock, H. Position, V. Position, Sharpness Color Temperature, Language, OSD H/V Position, Volume, Recall	Clock, H. Position, V. Position, Sharpness Color Temperature, Language, OSD H/V Position, Volume, Recall
TOUCH SCREEN		
Standard Model	Elo 5-Wire Resistive	Elo 5-Wire Resistive
Touch Screen Options	Capacitive & Surface Acoustic Wave	Capacitive & Surface Acoustic Wave
CARD READER		
MSR	Optional (TS15R-M)	Optional (TS17R-M)
OPERATING CONDITIONS		
Humidity:	20% - 80%	20% - 80%
Temperature:	0°C - 45°C	0°C - 45°C
STORAGE CONDITIONS		
Humidity:	20% - 80%	20% - 80%
Temperature:	-20°C - 60°C	-20°C - 60°C
PHYSICAL FEATURES		
Dimension (H x W x D) include base	13.5" x 14.0" x 8.2"	15.8" x 15.0" x 9.5"
Display Area (W x H)	12.0" x 9.0"	13.3" x 10.6"
Weight (Net)	11.46 lbs.	15.5 lbs.
Video cable connector	Analog: 15-pin-D-SUB Digital: DVI (Option w/ MOQ)	Analog: 15-pin-D-SUB Digital: DVI (Option w/ MOQ)
Audio Line in	3.5 mm earphone jack	3.5 mm earphone jack
Touch Screen Controller	Dual Controller (USB & RS232) ELO resistive	Dual Controller (USB & RS232) ELO resistive
Card Reader	6 Pin mini DIN or RS232	6 Pin mini DIN or RS232
Power Supply	12V DC Power Supply (external)	12V DC Power Supply (external)
Power Saving	VESA DPMS Standard	VESA DPMS Standard
Power Consumption	<30W Normal operation	<40W Normal operation
Mounting Options	VESA mounting compatible, 75mm	VESA mounting compatible, 100mm
Agency Approvals	UL/cUL, CE, FCC B	UL/cUL, CE, FCC B

*3 year standard warranty

Monitor Inputs



- | | |
|----|-------------------|
| 1. | MSR Keyboard-type |
| 2. | Touch USB |
| 3. | Touch Serial |
| 4. | VGA |
| 5. | Audio |
| 6. | Power |



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

www.LegacyGlobal.com

Some brands we carry



MOTOROLA

Intermec

DATALOGIC™

Honeywell

EQUINOX
PAYMENTS



About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



Legacy, Inc.

160 West Road,
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684