




MSR213E

Encryption Magnetic Stripe Reader

The MSR213E is one of the MSR213 Series of Magnetic Stripe Readers with additional security features of Triple Data Encryption Standard (TDES) encryption and Derived Unique Key Per Transaction (DUKPT) key management. It is powered from the USB port eliminating the need for external power. The MSR213E operates in Keyboard Emulation, Virtual COM Interface and UIC defined Human interface Device (HID) modes.

Features and Benefits

- Card data is encrypted with Triple DES algorithm using DUKPT key management.
- Track data output is masked according to a Mod 10 Correction setting.
- Reads Magnetic Stripe cards conforming to ISO7810 and 7811
- Triple track and support for 75/210bpi recording density
- Read both low and high coercivity cards (300-4000 Oe)
- Bi-directional card swipe
- Supports multiple interfaces (USB HID-MSR, USB HID-KB, USB Virtual-COM)
- Two-frequency coherent phase (F2F) decoding
- Reader status LED and buzzer









Banking

Kiosk

-lospitality



MSR213E



Encryption Magnetic Stripe Reader

The MSR213E reads all three tracks of the magnetic stripe cards in both directions and fully conforms to ISO 7811, American Association of Motor Vehicle Administrators (AAMVA) and Department of Motor Vehicles (DMV) standards. It has a status LED that is off, green or red based on the status of the reader. There is also a buzzer to further indicate the status of the reader. It is a highly intelligent device that uses flash memory to store keys and has the capability to turn the LED red when all DUKPT keys have been used.

Specifications

| MECHANICAL | |
|--|---|
| Body Material: | ABS 94V-0 |
| Dimensions: | 100 mm L x 34 mm W x 28 mm H |
| Weight: | Approx. 4.2 ounces (120 g) |
| Connector: | USB Type A Plug |
| Card Handling Method: | Manual swipe, bi-directional |
| ENVIRONMENTAL | |
| | |
| Operating Temperature: | 14°F to 122°F (-10°C to +50°C) |
| | 14°F to 122°F (-10°C to +50°C) -22°F to 158°F (-30°C to +70°C) |
| Operating Temperature: | |
| Operating Temperature: Storage Temperature: | -22°F to 158°F (-30°C to +70°C) |

| FCC Class B, CE Class B, BSMI Class B. |
|--|
| Meet PCI DSS requirement |
| Meet UPOS requirement (current version 1.12) |

| ELECTRICAL | |
|---------------------------|--|
| F2F MRD 532 decoder | |
| Processor: | Micro-controller capable |
| | of TDES processing |
| Magnetic Card Reader: | ISO7811; Triple tracks reading |
| Power Requirement: | +5VDC +-10% from USB Port |
| Power Consumption: | 35mA Max. in normal condition. |
| Interface: | USB HID KB emulation / USB HID |
| PERFORMANCE | |
| Read Card Format | Track 1: Bit Density 210 bpi |
| | Track 2: Bit Density 75 bpi |
| | Track 3: Bit Density 210 bpi |
| Card Types: | Magnetic cards as per ISO7810, |
| | 7811, AAMVA |
| Read Capability: | Magnetic stripe - dual or triple track |
| | of low/high coercivity (300~4000 Oe |
| Test Card Types | Standard card: Read Speed 5~55 ips |
| | Jitter±15%: Read Speed 5~50 ips |
| | Amp.60%: Read Speed 5~50 ips |
| Card Thickness: | Card Thickness: 0.76 ±0.08mm |
| Error rate: | Error rate: <0.5% |
| Magnetic Head Life: | Magnetic Head Life: 1 M Swipes |



Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















