

Stay competitive

The Unitech PA690 is a rugged handheld computer designed to empower your mobile workforce in today's aggressive business environment. As productivity and efficiency define the benchmark for success, the PA690 provides field-based workers with a host of data collection tools and a comprehensive wireless communication platform, all in a compact, durable and ergonomic form factor.

Faster and more productive

The PA690 is powered by an 806MHz Marvell PXA320 processor and runs on Windows Embedded Handheld 6.5, so you have the power to run even the most demanding mobile solutions. With 256MB of Mobile DDR SDRAM and 512MB of NaND Flash, the PA690 boasts ample internal memory. Also featuring a microSD expansion slot, the PA690 can support an additional 32GB of storage capacity for data-intensive applications.

Mobility at its best

Able to withstand multiple 5-foot drops to concrete and IP65-sealed against water and dust, the PA690 is an extremely rugged outside-the-four-walls device you can count on to perform under harsh conditions. This durable design mitigates device downtime that negatively impacts business critical applications.

The PA690 features a comprehensive wireless platform that includes integrated GPS, Bluetooth, WiFi and 3.5G connectivity. The PA690's dual external antennas for WWAN and WLAN ensures excellent wireless connectivity and performance. Field mobile workers can easily access information and accelerate their workflow while they're on the go.

Data collection made easy

Equipped with multiple data collection options, the PA690 helps enhance productivity and efficiency. Standard models include an integrated 1D laser scanner, 5.0 megapixel camera with flash for image and video capture, QWERTY keypad and sunlight-readable color touchscreen. The 3.8" backlit WVGA display is our highest resolution screen, making it easier for you to view pertinent information.

Accessories and options

Not all mobile applications are alike, so the PA690 offers various model options and accessories to fit your needs. Customize your device with additional features, such as a 2D imager scanner, HF RFID reader or gun grip for scan intensive applications. Unitech also offers a wide selection of accessories for your PA690. Complement your mobile solution with various communication and charging cradles, extended batteries, car kits and headsets - anything and everything you'll need to make the PA690 the ideal rugged handheld solution for your mobile workforce.

Main Features

- 3.8" WVGA high resolution LCD
- Comprehensive wireless platform that includes Bluetooth, CCX4 certified WiFi, 3.5G WWAN, GPS
- Dual external antennas for WWAN and WLAN ensures excellent wireless connectivity and performance
- u-blox® 6 High Performance GPS chipset supporting AssistNow® AGPS and GALILEO system
- Dual microphone designed with echo cancellation and noise reduction for clear voice communication.
- Optional QWERTY or numeric keypad
- 5.0 megapixel autofocus camera with flash
- Unitech MPEG-4 video codec







PA690 Specifications

System Features

CPU 806MHz Marvell PXA320 Processor

Mobile DDR: 256MB Memory NAND Flash: 512MB

OS Windows Embedded Handheld 6.5 Professional and Classic

Display

Transflective color 3.8" full WVGA with backlight 800 x 480 sunlight

readable LCD

Keypad

44-key QWERTY keypad 26-key Numeric keypad

Camera / Photos / Video

5.0 megapixel autofocus camera with flash Unitech MPEG-4 video codec (VGA resolution)

Notification

LEDs, Vibrator

Symbologies

1D Barcode Engine

UPC-A/E, EAN-8/13, Codabar, Code 39, Code 39 full ASCI, Code 93, Code 32, Interleaved & Std. 2 of 5, EAN 128, Code 11, Delta, MSI/Plessey, Code 128, Toshiba

2D Imager (optional)

1D codes Australian post, British post, Canedian post, Codabar, Code

11, Code 128, Code 39, Code 93, EAN 13, EAN 8, IATA 2 of 5, ITF, ISBT, Japanesepost, Kix code (nl), Korean post, Matrix 2 of 5, MSI, Planet code, Postnet, RSS expanded, RSS limited, RSS 14, UPC A, UPC E, UPC E1

Aztec, Codablock F, Code 49, Datamatrix, EAN-UCC, composite, Maxicode, Micro PDF417, PDF 417, QR

code, Tcif lonked C39

RFID Reader

2D codes

Frequency: 13.56MHz

Tag Support: ISO15693, ISO14443A, ISO14443B

Audio

Dual Microphone with Echo Cancelation and Noise reduction design

1W Speaker 3.5mm headset jack

Receiver

Expansion Slot

microSD slot with SDHC Support (up to 32GB) microSD

Dual microSD slots in HF RFID model





Unitech America

Los Angeles, Houston

http://us.ute.com e-mail: info@us.ute.com http://can.ute.com info@can.ute.com

http://latin.ute.com e-mail: info@latin.ute.com

Unitech Asia Pacific & Middle East

http://apac.ute.com info@apac.ute.com / info@india.ute.com http://mideast.ute.com info@mideast.ute.com

Unitech Japan

http://jp.ute.com e-mail: info@jp.ute.com

Location

u-blox® 6 High Performance GPS chipset

AssistNow® Online and AssistNow® Offline A-GPS services,

OMA SUPL compliant

Supports new European satellite system GALILEO

Communication

USB 1.1 Host & Client

WI AN IEEE 802.11 a/b/g, CCX4 Compliant

PAN Bluetooth 2.1 + EDR

WWAN 3.5G five-bands, GSM/GPRS 850MHz, 900MHz,

1800MHz and 1900MHz, UMTS WCDMA/HSDPA 50MHz, 1900MHz, 2100 MHz / GPRS EDGE

Power Source

8.14 Watt-Hour 3.7V @2200 mAh Main Battery 14.8 Watt- Hour 3.7V @4000 mAh

Backup Battery Ni-Mh battery Supports 2 hours backup

Enclosure

Weight 390g(13.76 oz) with 2200mAh Battery

430g(15.17 oz) with 4000mAh Battery

17.7 cm (7 in) x 7.4 cm (2.9 in) x 4 cm (1.6 in) Dimension

(Antenna length excluded)

Environmental

Operating temperature 14°F to 122°F (-10°C to 50°C) -4°F to 140°F (-20°C to 60°C) Storage temperature Relative Humidity $5\% \sim 95\%$ (non-condensing)

Drop Specification 1.5m (5 feet) Sealing IP65

Software

Microsoft Visual Studio 2005/2008

Mobile SIP(VoIP) Auto Installer

Mobile Device Management Software and Service

12Manage Software and configuration management, Asset

tracking, remote diagnostics and performance

measurement

Accessories

4-slot multi-bay Ethernet cradle

4-slot battery charger Field Installable Gun grip

USB cradle with battery charger Ethernet cradle with battery charger

Main battery (2200mAh, 4000mAh) USB communication and charging cable

RS232 Communication cable

AC adaptor

Mono 3.5mm headset

Car kit

Regulatory Approvals

CE, FCC, BSMI, VCCI, CCC, RoHS compliance

Unitech Europe

Tilburg / Netherlands

http://eu.ute.com e-mail: info@eu.ute.com

Unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen http://cn.ute.com info@cn.ute.com Taipei http://tw.ute.com info@tw.ute.com

Head Office

Taipei

http://www.ute.com e-mail: info@hq.ute.com

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















