

FANLESS MODULAR ALL IN ONE U11-P150UR-A1.6F





Unytouch Manufacturing is proud to present a completely new, versatile approach to All in One terminal's.

Addressing key drivers such as performance, durability and cost the Unytouch Modular All in One is well suited for both touch and non touch applications. Featuring a unique quick disconnect PC design, multiple I/O ports and a stable UMount base, the Unytouch Modular All In One makes the most of your digital world.

KEY FEATURES

- Fanless CPU Intel Atom D510
- Rugged metal enclosure
- Stable Base With Bolt Down Option
- Multiple I/O 4 USB, 2 Serial, 1 Parallel
- Easily Accessible I/O
- Spill Resistant Case

Unytouch Manufacturing, Inc



FANLESS MODULAR ALL IN ONE U11-P150UR-A1.6F

ACCESSORIES



Shown with optional 2 x 20 rear display



Field replaceable CPU



Shown with optional secondary LCD display



FANLESS MODULAR ALL IN ONE U11-P150UR-A1.6F

PC SPECIFICATIONS	
CPU	Fanless Intel Atom D510, 1.6 Ghz
Chipset	Intel NM10 Express
FSB	DMI
Hard Drive	160 GB
Hard Drive Interface	SATA
Memory	Standard 1GB DDR2 667 DIMM Supports up to 4 GB
Graphics	Intel 3150
Audio	6 CH Intel HD Audio
Network	10/100/1000 Optional Wireless - Internal 802.11 b/g/n
I/O Ports	4 USB 2.0 1 VGA 1 LAN 2 RS-232 COM 1 PS2 Keyboard 1 PS2 Mouse 3 Audio Jacks: Line-out, Line-in, Mic-in
MONITOR SPECIFICATIONS	
LCD Panel	15" TFT LCD Active Matrix Display
Resolution	1024 × 768
Contrast Ratio	500:1
Brightness	250 cd/m ²
Response Time	8 ms
Pixel Pitch	0.297 mm x 0.297mm
Plug & Play	DDC 2B Compliance
OSD (On Screen Display)	Auto Tune, Brightness, Contrast, clock, Phase, H-position, V-position, Recall
Touch Technology	Standard 5 Wire Resistive, Optional Capacitive Technology
Touch Interface	Dual Serial/USB
Built-in Speakers	Yes
Operating Enviroment	0 °C - 40 °C (32 °F - 104 °F) 10%-80% (no condensation)
Storage Conditions	-20 °C - 50 °C (-4 °F - 140 °F) 10%-90% (no condensation)
Package Dimensions (W x H x D)	530 mm x 530 mm x 300 mm
Weight	25 Lbs (11.33 Kg)
Stand Style	Umount
Mounting Option	Desktop Placement, Bolt Down & VESA Mountable
Monitor Tilting Degree	0° - 40°
Viewing Angle	75°/70°/60°(L/R/U/D)
MTBF	50,000
PC Video Interface	Analog RGB (VGA)
Horizontal Scan Rate	30-60 Khz
Vertical Scan Rate	56-75 Hz
Display Mode	VGA 720 × 400 (70 Hz) VGA 640 × 480 (60/66/70/72/75 Hz) SVGA 800 × 600 (60/70/72/75 Hz) XGA 1024 × 768 (56/70/75 Hz)
Front Control	Power On/Off with LED, Menu, Auto Tune, Adjustment (+/-)
Electrical Power	Adapter Input: 100 - 240 VAC, 50 - 60 Hz, Adapter Output: 19 VDC, 50 - 60Hz
Power Consumption	30 W (max)
Certification	CE, UL, FCC
Liputouch Manufacturing Inc.	(200) 260 6240 (200) 260 6240

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert 866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

• They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

• Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.





<u>Legacy, Inc.,</u> 160 West Road, Ellington, CT 06029

Toll Free: 866-271-9891 Fax: 888-522-4684

www.LegacyGlobal.com

Some brands we carry







Honeywell













