

# HC100™ Wristband Printer

Easiest Way to Print Wristbands On-demand



## Simple to Use

Zebra's HC100 printer was developed to maximize ease of use. There's minimal training required. Just pop the easy-to-load cartridges containing Zebra's Z-Band® wristbands into the printer—and print individual wristbands.

The HC100 printer detects the wristband size and automatically calibrates its settings for optimal print quality. You get long-lasting wristbands with bar codes and text that remain readable. When the cartridges are empty, just return them for recycling.

## Fits Your Environment

With more connectivity options and a small footprint, the HC100 printer works with your network and fits your workspace.

### Prints Wristbands for:

- **Patient identification in:**
  - » Hospitals
  - » Outpatient clinics
- **Guest identification at:**
  - » Amusement parks
  - » Water parks
  - » Resorts
  - » Carnivals
  - » Concerts
  - » Sporting events
  - » Zoos

# Specifications at a Glance\*

## Standard Features

- Print method: Direct thermal
- Programming language: ZPL®
- Construction: Dual-wall frame, impact resistant plastic
- Quick & easy wristband cartridge loading
- Instant media calibration—no wasted media
- 32 bit RISC processor
- Zebra E3™ Printhead Energy Control
- Odometer for print length tracking
- Illuminated media low/media out indicator
- Tool-less printhead and platen replacement
- Unicode™ compliant for multi-language printing
- XML-Enabled printing—allows XML communications from information systems
- Standard tear-off mode feature
- Dual communications interface: Serial & USB

## Printer Specifications

### Resolution

300 dpi/12 dots per mm

### Memory

8 MB Flash, 16 MB SDRAM

### Print Width

3 wristband widths:

- 0.75"/19 mm
- 1"/25 mm
- 1.1875"/30 mm

### Maximum Print Length

22"/558 mm

### Print Speed

2"/51 mm per second

### Media Sensors

Headup, media low and media out sensors

## Media Characteristics

### Media types

Wristband Cartridges

## Operating Characteristics

### Environmental

- Operating temperature: 40° F/4.4° C to 104° F/40° C
- Storage temperature: -40° F/-40° C to 140° F/60° C
- Operating humidity: 20%-85% non-condensing
- Storage humidity: 5%-85% non-condensing

### Electrical

Universal power supply (PFC Compliant) 100-240VAC, 50-60Hz (70 Watts) External Power Supply

### Agency Approvals

- Emissions: FCC Part 15, Subpart B, VCCI, C-Tick
- Emissions and Susceptibility: (CE): EN55022 Class-B, and EN55024
- Safety: CB Scheme IEC 60950-1:2001, TUV NRTL
- Power Supply: IEC 60601-1:1995

## Physical Characteristics

- Width: 5"/127 mm
- Height: 7"178 mm
- Depth: 9.5"/242 mm
- Weight: 3.1 lbs/1.4 kg

## ZebraLink™ Solutions

### Software

- ZebraDesigner™ Pro—An intuitive, easy-to-use software program for creating complex wristband and label designs, purchased separately (option)
- ZebraDesigner—Offers basic features for simple wristband and label design (standard)
- ZebraDesigner for XML—A design tool for designing and distributing wristband templates for later recalling and printing via XML data streams
- ZebraNet™ Bridge Enterprise—Centrally manage Zebra printers from a single PC screen anywhere on your global network (option)
- ZebraNet Utilities v7.0—Provides enhanced printing, conversion, and administration capabilities; message management and more (standard)
- ZebraDesigner Driver—Zebra driver compliant with Windows 95/98/2000/2003/ME/NT/XP, and Windows Vista® (downloadable from [www.Zebra.com](http://www.Zebra.com))
- Zebra Universal Driver—A printer driver compatible with Windows® 98 SE/Windows NT®/2000/XP/2003
- ZBI 2.0™—Powerful programming language that lets printers run standalone applications, connect to peripherals, and much more (option)
- ZBI-Developer™—Programming utility makes it dramatically easier for programmers to create and test complex ZBI 2.0 programs and distribute them to the printer (standard with ZBI 2.0)

## Networking Options

- Ethernet—ZebraNet® 10/100 Internal Print Server—Factory-installed only, offered in combination with serial/USB interface
- Wireless 802.11b—ZebraNet Wireless Plus internal print server—Factory-installed only, offered in combination with serial/USB interface. Advanced wireless security—including WPA and WPA2.

### Firmware

- ZPL II®—Universal language for Zebra printers. Simplifies wristband and label formatting and enables format compatibility with existing systems that run Zebra printers.

## Fonts and Graphics

- 16 resident expandable bitmap fonts
- One resident scalable font

## Bar Code Symbolologies

- Bar Code Ratios: 2:1 (non-rotated) and 3:1
- Linear Bar Codes: Code 11, Code 39, Code 93, Code 128, UPC-A, UPC-E, EAN-8, EAN-13, EAN-14, UPC-A and UPC-E with EAN 2 or 5 digit extensions, Plessey, POSTNET, Standard 2 of 5, Industrial 2 of 5, Interleaved 2 of 5, LOGMARS, MSI, Codabar, and GS1 DataBar (formerly RSS)
- 2-Dimensional: PDF417, MicroPDF417, Code 49, Maxicode, Codablock, Data Matrix, QR code, and Aztec
- Contains UFST® from Monotype Imaging, Inc.

## Communication and Interface Capabilities

- RS-232 Serial interface, DB-9
- USB 2.0
- ZebraNet 10/100 Internal Print Server—Factory-only installation
- ZebraNet Internal Wireless Plus Print Server—Wireless 802.11b/g—Factory-only installation

## Options and Accessories

- Ethernet—ZebraNet® 10/100 Internal Print Server—Factory-installed only, offered in combination with serial/USB interface
- Wireless 802.11b—ZebraNet Wireless Plus internal print server—Factory-installed only, offered in combination with serial/USB interface. Advanced wireless security—including WPA and WPA2.
- Font Packs—Asian and other international font kits
- Factory-installed 64 MB (58 MB user available) Flash memory option
- ZBI 2.0—Factory- or field-installed

\*Specifications subject to change without notice.

©2010 ZIH Corp. ZebraLink, E3 and all product names and numbers are Zebra trademarks, and Zebra, the Zebra head graphic, ZebraNet, Z-Band, ZPL and ZPL II are registered trademarks of ZIH Corp. All rights reserved. Unicode is a trademark of Unicode, Inc. Windows, Windows NT and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. UFST is a trademark of Monotype Imaging Inc. and may be registered in certain jurisdictions. All other trademarks are the property of their respective owners.

## Genuine Zebra™ Wristbands for the HC100 Printer

### Healthcare Wristbands

Zebra's Z-Band thermal wristbands allow you to print patient information and bar codes directly on the wristbands; no need for labels and wristband assembly inherent to laser technology.

- Determined MR-Safe by an independent MRI testing company
- Feature a silver antimicrobial coating that protects the wristband
- Scannable up to 14 days, promoting quality patient care and safety
- Quick and easy to print and fasten using an adhesive tab or color clip

### Attraction and Amusement Wristbands

Enable cashless point of sale and access management with print-on-demand bar coded wristbands. A Zebra® bar code printer and direct thermal Z-Band Fun or Z-Band Splash wristbands can:

- Reduce ticket fraud; revenue losses associated with theft
- Improve transaction speeds
- Enhance each guest's experience
- Lower total cost of ownership compared to RFID wristbanding



[www.zebra.com](http://www.zebra.com)

### Corporate Headquarters

+1 800 423 0442  
[inquiry4@zebra.com](mailto:inquiry4@zebra.com)

### Other Locations

**USA:** California, Georgia, Rhode Island, Texas, Wisconsin **Europe:** France, Germany, Italy, Netherlands, Poland, Spain, Sweden **Asia Pacific:** Australia, China, India, Japan, South Korea **Latin America:** Argentina, Brazil, Florida (USA), Mexico **Africa/Middle East:** Russia, South Africa, United Arab Emirates

### Asia-Pacific Headquarters

+65 6858 0722  
[apacchannelmarketing@zebra.com](mailto:apacchannelmarketing@zebra.com)

### EMEA Headquarters

+44 (0)1628 556000  
[mseurope@zebra.com](mailto:mseurope@zebra.com)

### Latin America Headquarters

+1 847 955 2283  
[inquiry4@zebra.com](mailto:inquiry4@zebra.com)

GSA#: GS-35F-0268N  
P1032322 (10/10)

# Legacy Technology Services

**We Rent & Sell All Types Of Barcode Equipment**

Call now to talk to an expert

**866-271-9891**

[www.LegacyGlobal.com](http://www.LegacyGlobal.com)

Some brands we carry



MOTOROLA

**Intermec**

**DATALOGIC**™

**Honeywell**

**EQUINOX**  
PAYMENTS



## About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

## Latest Hardware from top manufacturers

- Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

## Expert Repair and Maintenance services

- Legacy is one of the best repair facilities in North America

## Discontinued product sourcing

- They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

## Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
  - Data destruction
  - Hardware disposal
  - Auditing services

## Dedicated client account team

- Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

## Equipment rental services

- Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.



[Legacy, Inc.](http://Legacy, Inc.)

160 West Road,  
Ellington, CT 06029

Toll Free: 866-271-9891

Fax: 888-522-4684