

General Purpose Corded Handheld Laser Bar Code Reader

The QuickScan reader series is Datalogic Scanning's value line of general purpose handheld data collection products. As an entry level scanner, the QuickScan L scanner provides a simple solution for those who prefer laser scanning technology and need to read bar codes at nominal distances. A wider than usual scan angle provides the ability to read a longer bar code from a shorter distance.

Perfect for use in retail and office environments, its small, lightweight and ergonomic design is comfortable to use during daily operations. The QuickScan L reader has snappy reading performance and is capable of reading a wide range of symbologies including the majority of 1D codes plus GS1 DataBar™ linear codes.

The QuickScan L reader has been designed with durability in mind. One of the most vulnerable features of any scanner is damage to the scan window. When such

incidents happen, the scanner may have to be replaced. The QuickScan L reader was specifically designed so that a replacement window pack can be ordered to replace damaged or scratched windows without having to send the scanner away for repairs. This helps to reduce the total cost of ownership during the life of the scanner and helps to ensure that it is always available for use.

Each QuickScan L reader comes with multiple interfaces which cover the most popular interfaces and includes various packaging options so that it can be ordered as the scanner only or as a kit equipped with a scanner, cable and stand to facilitate handfree reading options.

Features

- Wider scan angle for longer code reading
- User replaceable scan window
- Multi-interface solution for the most popular interfaces
- Supports GS1 DataBar™ linear codes
- Water and Particulate Sealing Rating: IP42
- Drop resistance to 1.5 m / 4.9 ft
- 20 kV Electrostatic protection (air discharge)





www.scanning.datalogic.com

QUICKSCAN® DESK - L

ODATALOGIC

Specifications

DECODING CAPABILITY

1D / LINEAR CODES Autodiscriminates all standard 1D codes including GS1 Databar™ linear

POSTAL CODES China Post

ELECTRICAL

CURRENT Operating (Typical): 100 mA @ 5 VDC

Standby/Idle (Typical): < 35 mA

INPUT VOLTAGE 5 VDC +/- 10%

FNVIRONMENTAL

AMBIENT LIGHT 64.575 lux

DROP RESISTANCE Withstands repeated drops from 1.5 m / 5.0 ft onto a concrete surface ESD PROTECTION (AIR DISCHARGE)

20 kV 5 - 95% IP42

TEMPERATURE Operating: 0 to 50 °C / 32 to 122 °F

Storage/Transport: -40 to 70 °C / -40 to 158 °F

INTERFACES Keyboard Wedge; RS-232; USB; Multiple Interfaces Available

PHYSICAL CHARACTERISTICS

HUMIDITY (NON-CONDENSING)

PARTICULATE AND WATER SEALING

COLORS AVAILABLE Black; White

DIMENSIONS 17.0 x 7.1 x 6.6 cm / 6.7 x 2.8 x 2.6 in

127.6 g / 4.5 oz WEIGHT

READING PERFORMANCE

650 nm VLD LIGHT SOURCE 30% PRINT CONTRAST RATIO (MINIMUM)

READ RATE (MAXIMUM) 100 reads/sec.

Pitch: +/- 65°; Roll (Tilt): +/- 30°; Skew (Yaw): +/- 60° **READING ANGLE**

READING INDICATORS Beeper (Adjustable Tone); Good Read LED **RESOLUTION (MAXIMUM)** 0.130 mm / 5 mils

READING RANGES

TYPICAL DEPTH OF FIELD Minimum distance determined by symbol length and scan angle.

Printing resolution, contrast, and ambient light dependent.

5 mils: 2.0 to 13.0 cm / 0.8 to 5.1 in 7.5 mils: 1.0 to 20.0 cm / 0.4 to 8.0 in 10 mils: 0.5 to 22.0 cm / 0.2 to 8.6 in 13 mils: 0.5 to 24.5 cm / 0.2 to 9.8 in 20 mils: 3.0 to 27.0 cm / 1.2 to 10.5 in

SAFETY & REGULATORY

AGENCY APPROVALS The product meets necessary safety and regulatory approvals for its

intended use.

The Quick Reference Guide for this product can be referred to for a

complete list of certifications.

ENVIRONMENTAL COMPLIANCE Complies to China RoHS; Complies to EU RoHS

LASER CLASSIFICATION Caution Laser Radiation - Do not stare into beam; EN 60825-1 Class 2; IEC

60825-1 Class 2

WARRANTY 3-Year Factory Warranty



Miscellaneous

11-0318 Replacement Windows, 5-Pack



Mounts/Stands

- STD-QD20-BK Gooseneck Stand, Black
- STD-QD20-WH Gooseneck Stand,

All rights reserved. • Protected to the fullest extent under U.S. and international laws. prohibited without express written consent from Datalogic Scanning, Inc.

Datalogic S.p.A. in many countries and the Datalogic logois a trademark of Datalogic S.p.A. • QuickScan is a registered trademark of Datalogic Scanning Inc.

Product specifications are subject to change without notice.

www.scanning.datalogic.com

Legacy Technology Services

We Rent & Sell All Types Of Barcode Equipment

Call now to talk to an expert

866-271-9891

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

• Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

· Legacy is one of the best repair facilities in North America

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value.
 Legacy routinely purchases equipment from our clients around the globe.
 - · Data destruction
 - · Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

• Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.











(AAA) POOL

Toll Free: 866-271-9891 Fax: 888-522-4684 www.LegacyGlobal.com
Some brands we carry





















